

LITERATURE CITED

- AAAS (American Association for the Advancement of Science). 2001. Worldwide network of no-takes proposed at American Association for the Advancement of Science. AAAS, San Francisco, CA, 2p.
- Able, K. W. and S.M. Hagan. 2000. Effects of common reed (*Phragmites australis*) invasion on marsh surface macrofauna: response of fishes and decapod crustaceans. *Estuaries* 23(5): 633-646.
- Able, K. W., S.M. Hagan, and S.A. Brown . 2003. Mechanisms of marsh habitat alteration due to *Phragmites*: response of young-of-the-year mummichog (*Fundulus heteroclitus*) to treatment for *Phragmites* removal. *Estuaries* 26(2B): 484-494.
- Adams, S. and J. Angelovic. 1970. Assimilation of detritus and its associated bacteria by three species of estuarine animals . *Chesapeake Science* 11(4): 249-254.
- Adams, S. M. 1976. Feeding ecology of eelgrass fish communities. *Transactions of the American Fisheries Society* 105(4): 514-519.
- Adkins, B. E., R.M. Harbo, and N. Bourne. 1983. An evaluation and management considerations of the use of a hydraulic clam harvester on intertidal clam populations in British Columbia. *Canadian Manuscript Reports Fisheries Aquatic Science* 1716: 38.
- Admiraal, W., H. Peletier, and H. Zomer. 1982. Observations and experiments on the population dynamics of epipellic diatoms of an estuarine mudflat. *Estuarine Coastal and Shelf Science* 14: 471-487.
- AFS (American Fisheries Society). 2003. AFS policy statement #4: Sedimentation. http://www.fisheries.org/Public_Affairs/Policy_Statements, 9/30/2003.
- Allen, K. O. and J.W. Hardy. 1980. Impacts of navigational dredging on fish and wildlife: a literature review. National Technical Information Service, Report FWS/OBS - 80/07, 88 p.
- Ambrose, R. and S. Swarbrick. 1989. Comparison of fish assemblages on artificial and natural reefs off the coast of southern California. *Bulletin of Marine Science* 44(2): 718-733.
- Ambrose, W. G. J. and E.A. Irlandi. 1992. Height of attachment on seagrass leads to trade-off between growth and survival in the bay scallop *Argopecten irradians*. *Marine Ecology Progress Series* 90(1): 45-51.
- Amoroso, J. L. 1999. Natural Heritage Program List of the Rare Plants of North Carolina. North Carolina Natural Heritage Program.
- Anderson, G. 1985. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (Gulf of Mexico)--grass shrimp. U.S. Fish and Wildlife Service, Biological Report USFWS/BR-82(11.35), 377p.
- Anderson, W. W. 1958. Larval development, growth, and spawning of striped mullet (*Mugil cephalus*) along the south Atlantic coast of the United States. *Fishery Bulletin* 144: 501-519.
- Andrews, J. D. 1980. A review of introductions of exotic oysters and biological planning for new importations. *Marine Fisheries Review* 42: 1-11.
- Andrews, J. D. 1988. Epizootiology of the disease caused by the oyster pathogen, *Perkinsus marinus*, and its effects on the oyster industry. *American Fishery Society Special Publication* 18: 47-63.
- Andrews, J. D. and W.F. Hewatt. 1957. Oyster mortality studies in Virginia II. The fungus disease caused by *Dermocystidium marinum* in oysters in Chesapeake Bay. *Bay Ecology Monographs* 27: 1-26.
- Arnolds, C. L. and C.J. Gibbons. 1996. Impervious surface coverage - the emergence of a key

- environmental indicator. *Journal of the American Planning Association* 62: 243-258.
- Arve, J. 1960. Preliminary report on attracting fish by oyster shell plantings in Chincoteague Bay, Maryland. *Chesapeake Science* 1(1): 58-65.
- ASMFC (Atlantic States Marine Fisheries Commission). 1997a. Atlantic coastal submerged aquatic vegetation: a review of its ecological role, anthropogenic impacts, state regulation, and value to Atlantic coastal fisheries. unpub. rep., ASMFC Habitat Management Series #1 , 78p.
- ASMFC (Atlantic States Marine Fisheries Commission). 1997b. Submerged aquatic vegetation policy. Unpub. rep., ASFMC Habitat Management Series #3 , 9 p.
- ASMFC (Atlantic States Marine Fisheries Commission). 2000. Evaluating fishing gear impacts to submerged aquatic vegetation and determining mitigation strategies. ASFMC Habitat Management Series 5 , 38p.
- ASMFC (Atlantic States Marine Fisheries Commission). 2001. Amendment 1 to the interstate fishery management plan for Atlantic menhaden. Washington, DC, 131 p.
- ASMFC (Atlantic States Marine Fisheries Commission). 2002. How are cooling water intake structures at power plants impacting fish? *Habitat Hotline Atlantic* 9(1): 8.
- Auster, P. J. and R.W. Langton. 1999. The effects of fishing on fish habitat. p. 150-187 *in* L. Benaka (ed.). *Fish habitat: essential fish habitat and rehabilitation*. American Fisheries Society, Bethesda, Md. Symp. 22, 459p.
- Auster, P. J., R.J. Malatesta, R.W. Langton, L. Watling, P.C. Valentine, C.L.S. Donaldson, E.W. Langton, A.N. Shepard, and I.G. Babb . 1996. The impacts of mobile fishing gear on seafloor habitats in the Gulf of Maine (Northwest Atlantic): implications for conservation of fish populations. *Reviews in Fisheries Science* 4: 185-202.
- Ayvasian, S. G., L.A. Deegan, and J.T. Finn. 1992. Comparison of habitat use by estuarine fish assemblages in the Acadian and Virginian zoogeographic provinces. *Estuaries* 15(3): 368-383.
- Bahr, L. N. and W.P. Lanier . 1981. The ecology of intertidal oyster reefs of the South Atlantic coast: a community profile. U.S. Fish and Wildlife Service Biological Reports, FWS/OBS-81/15, 105p.
- Bain, M. B. 1997. Atlantic and shortnose sturgeon of the Hudson River: a common and divergent life history attributes. *Environmental Biology of Fishes* 48(1-4): 347-358.
- Bair, E. S. 1995. Hydrogeology. p. 285-310 *in* A.D. Ward and W.J. Elliot (eds). *Environmental Hydrology*. CRC Press, Inc., Boca Raton, FL, 462 p.
- Baird, D., R.R. Christian, C.H. Peterson, and G.A. Johnson. 2004. Application of mass-balance food web modeling to assess impacts of hypoxia on trophic transfers to vertebrate consumers and ecosystem functions in a eutrophied estuary. *Ecological Applications* (In press).
- Baldwin, A. H. and I.A. Mendelssohn. 1998. Effects of salinity and water level on coastal marshes: an experimental test of disturbance as a catalyst for vegetation change. *Aquatic Botany* 61(4): 255-268.
- Bales, J. D., C.J. Oblinger, and A.H. Sallenger. 2000. Two months of flooding in eastern North Carolina, September-October 1999. U.S. Geological Survey, Raleigh, NC, 47p.
- Bales, J. D. and D.J. Newcomb. 1996. North Carolina wetland resources. p. 297-302 *in* R.M. Hirsch (dir). *National Water Summary on Wetland Resources*. U.S. Geological Survey, Atlanta, GA, USGS Water-Supply Paper 2425 p.
- Barker, J. C. and J.P. Zublena. 1995. Livestock manure nutrient assessment in North Carolina. *Proceedings of the 7th International Symposium on Agricultural and Food Processing Wastes*, Chicago 18-20 June 1995 : 98-106.
- Barnes, K. B., J.M. Morgan III, and M.C. Roberge. 2001. Impervious surfaces and the quality of natural

- and built environments. Department of Geography and Environmental Planning, Towson University, Baltimore, Md, 28p.
- Barranguet, C., J. Kromkamp, and J. Peene. 1998. Factors controlling primary production and photosynthetic characteristics of intertidal microphytobenthos. *Marine Ecology Progress Series* 173: 117-126.
- Barrett, J. C., G.D. Grossman, and J. Rosenfield. 1992. Turbidity-induced changes in reactive distance of rainbow trout. *Transactions of the American Fisheries Society* 121: 437-443.
- Bartol, I. K. and R. Mann. 1999. Small scale patterns of recruitment on a constructed intertidal reef: the role of spatial refugia. p. 159-170 in M. Luckenbach, R. Mann and J. Wesson eds. *Oyster reef habitat restoration: a synopsis and synthesis of approaches*. Virginia Institute of Marine Science Press, Gloucester Point, VA.
- Basta, D. J., M.A. Warren, T.R. Goodspeed, C.M. Blackwell, T.J. Culliton, J.J. McDonough III, M.J. Katz, D.G. Remer, J.P. Tolson, C.J. Klein, S.P. Orando Jr., and D.M. Lott. 1990. Estuaries of the United States, vital statistics of a national resource base. National Ocean Service, NOAA, U.S. Department of Commerce, Rockville, MD, A Special NOAA 20th Anniversary Report, 79p.
- Beach, D. 2002. Coastal sprawl : the effects of urban design on aquatic ecosystems in the United States. Pew Oceans Commission, Arlington, VA, 32p.
- Beal, B. F. 2000. The importance of temporal and spatial replication of field experiments: effects of seagrass cover on the growth and survival of cultured juveniles of the soft-shell clam, *Mya arenaria*, and hard clam, *Mercenaria mercenaria*. *Shellfish Research* 19(1).
- Beal, J. L. 1999. The effects of dock height and alternative construction measures on light irradiance (PAR) and seagrass (*Halodule wrightii* and *Syringdium filiforme*) cover. Florida Department of Environmental Protection, Divisions of Marine Resources, Unpub. rep. 10p.
- Beal, J. L. and B.S. Schmit. 1998. The effects of dock height and alternative construction measures on light irradiance (PAR) and seagrass (*Halodule wrightii* and *Syringdium filiforme*) cover. Florida Center for Environmental Studies, Ft. Lauderdale, FL, Abstracts from the Workshop on subtropical and tropical seagrass management ecology: responses to environmental stress, 2p.
- Beck, M. W., K.L. Heck Jr., K.W. Able, D.L. Childers, D.B. Eggleston, B.M. Gillanders, B. Halpern, C.G. Hays, K. Hoshino, T.J. Minello, R.J. Orth, P.F. Sheridan, and M.P. Weinstein. 2001. The identification, conservation, and management of estuarine and marine nurseries for fish and invertebrates. *Bioscience*. 51(8): 633-641.
- Bellinger, E. G. and B.R. Benham. 1978. The levels of metals in dock-yard sediments with particular reference to the contributions from ship-bottom paints. *Environmental Pollution* 15: 71-81.
- Benton, J. C. 1992. Estimates of total mortality, migration, and length-age composition of Atlantic striped bass, offshore mixed stocks from 1988 to 1992. USFWS, Unpub. rep. 15p.
- Beresoff, D. and T. Thorpe. 1997. Gill net selectivity for coastal shark species. NC Sea Grant, FRG 97FEG-10, 1p.
- Bishop, D. and S. Kent. 1990. Preliminary report - the effects of propeller-dredging on benthic macrofauna in shallow seagrass beds in the Florida Keys. FL Department of Environmental Regulation, Unpub. rep. 10p.
- Blader, S. J. M. and T.G. Blader. 1980. Factors affecting the distribution of juvenile estuarine and inshore fish. *Journal of Fish Biology* 17: 143-162.
- Blanchet, H., M.V. Hoose, L. McEachron, B. Muller, J. Warren, J. Gill, T. Waldrop, J. Waller, C. Adams, R.B. Ditton, D. Shively, and S. VanderKooy. 2001. The spotted seatrout fishery of the Gulf of Mexico, United States: A regional management plan. Gulf State Marine Fisheries Commission,

Ocean Springs, MI, NOAA Publication Number 87.

- Blanton, J. O., F.E. Werner, A. Kapolnai, B.O. Blanton, D. Knott, and E.L. Wenner. 1999. Wind-generated transport of fictitious passive larvae into shallow tidal estuaries. *Fisheries Oceanography* 8(2): 210-223.
- Blue Atlantic Transmission System. 2003. Proceedings of a workshop on the potential effects of the construction and operation of subsea pipelines on lobster movement and behavior. Unpub. doc., Rhode Island, 152p.
- Bock, M. J. and D.C. Miller. 1995. Storm effects on particulate food resources on an intertidal sandflat. *Journal of Experimental Marine Biology and Ecology* 187: 81-101.
- Boehlert, G. W. and J.B. Morgan. 1985. Turbidity enhances feeding abilities of larval pacific herring, *Clupea harengus pallasii*. *Hydrobiologia* 123: 161-170.
- Bohnsack, J. 1989. Are high densities of fishes at artificial reefs the result of habitat limitation or behavioral preference? *Bulletin of Marine Science* 44(2): 631-645.
- Bohnsack, J. A. 1993. Marine reserves: they enhance fisheries, reduce conflicts, and protect resources. *Oceanus* 36(3): 63-71.
- Bohnsack, J. A. 1996. Maintenance and recovery of reef fishery productivity. p. 284-313 in N.V. Polunin and C.M. Roberts (eds.). *Reef fisheries*. Chapman and Hall, London.
- Bohnsack, J. A., D.E. Harper, D.B. McClellan, and M. Hulsbeck. 1994. Effects of reef size on colonization and assemblage structure of fishes at artificial reefs off southeastern Florida, USA. *Bulletin of Marine Science* 55(2-3): 796-823.
- Borsuk, M. E., C.A. Stow, R.A. Leuttich, H.W. Paerl, and J.L. Pickney. 2001. Modeling oxygen dynamics in an intermittently stratified estuary: estimation of process rates using field data. *Estuarine Coastal and Shelf Science* 52: 33-49.
- Boss, S. K. and C.W. Hoffman. 2000. Sand resources of the North Carolina Outer Banks. University of Arkansas and North Carolina Geological Survey, Final Report prepared for the Outer Banks Task Force and the North Carolina Dept of Transportation . 43 p.
- Bourn, W. S. 1932. Ecological and physiological studies on certain aquatic angiosperms. *Contributions Boyce Thompson Institute* 4 : 425-496.
- Bowman, R. E., C.E. Stillwell, W.L. Michaels, and M.D. Grosslein. 2000. Food of northwest Atlantic fishes and tow common species of squid. National Marine Fisheries Service, NOAA, NMFS-NE-155 , 19p.
- Box, J. B. and J. Mossa. 1999. Sediment, land use, and freshwater mussels: prospects and problems. *Journal North American Benthological Society* 18(1): 99-117.
- Bradstock, M. and D. Gordon. 1983. Coral-like bryozoan growths in Tasman Bay, and their protection to conserve commercial fish stocks. *New Zealand Journal Marine and Freshwater Research* 17: 159-163.
- Breitburg, D. L. 1992. Episodic hypoxia in Chesapeake Bay: interacting effects of recruitment behavior, and physical disturbance. *Ecological Monographs* 62(4): 525-546.
- Breitburg, D. L. 1998. Are three dimensional structure and healthy oyster populations the key to an ecologically interesting and important fish community. in M.W. Luckenbach, R. Mann and J. A. Wesson eds. *Oyster reef habitat restoration. A synopsis and synthesis of approaches*. Virginia Institute of Marine Science Press.
- Breitburg, D. L., L.D. Coen, M.W. Luckenbach, R. Mann, M. Posey, and J.A. Wesson. 2000 . Oyster reef restoration: convergence of harvest and conservation strategies. *Journal of Shellfish Research*

- 19(1): 371-377.
- Breitburg, D. L., T. Loher, C.A. Pacey, and A. Gerstein. 1997. Varying effects of low dissolved oxygen on trophic interactions in an estuarine food web. *Ecological Monographs* 67(4): 489-507.
- Breitburg, D.L., M.A. Palmer, and T. Loher. 1995. Larval distributions and the spatial patterns of settlement of an oyster reef fish: responses to flow and structure. *Marine Ecology Progress Series* 125: 45-60.
- Breitburg, D. L., N. Steinberg, S. DuBeau, C. Cooksey, and E.D. Houde. 1994. Effects of low dissolved oxygen on predation on estuarine fish larvae. *Marine Ecology Progress Series* 104(3): 235-246.
- Brinson, M. M. 1977. Decomposition and nutrient exchange in litter in an alluvial swamp forest. *Ecology* 58: 601-609.
- Brinson, M. M. 1991. Landscape properties of pocosins and associated wetlands. *Wetlands* 11: 441-465.
- Brinson, M. M. and G.J. Davis. 1976. Primary productivity and mineral cycling in aquatic macrophyte communities of the Chowan River, North Carolina. UNC-WRRI, Raleigh, NC, Report No. 120, 137p.
- Brinson, M. M. and K.K. Moorhead. 1989. Sea level rise and fringe wetlands in North Carolina: recommendations from a workshop on management and research. *Journal of the Elisha Mitchell Scientific Society* 105(4): 149-157.
- Brown, C. A. 2002. The transport of fish larvae to estuarine nursery areas: a modeling study. Dissertation Abstracts International Part B: Science and Engineering 62(7): 3099.
- Brown, R. A. 1989. Bottom trawling on Strangford Lough: problems and policies. Proceedings reprints, distress signals, signals from the environment in policy and decision making, May 31-June 2, 1989 Rotterdam, Netherlands. Unpub. rep., 11p.
- Brown, S. S., G.R. Gaston, C.F. Rakocinski, and R.W. Heard. 2000. Effects of sediment contaminants and environmental gradients on macrobenthic community trophic structure in Gulf of Mexico estuaries. *Estuaries* 23(3): 411-424.
- Bruton, M. N. 1985. The effect of suspensoids on fish. *Hydrobiologia* 125: 221-241.
- Buchsbaum, R. 1994. Management of Coastal Marshes. p. 331 in D.M. Kent (ed). *Applied Wetlands Science and Technology*. CRC Press, Boca Raton, FL.
- Bulger, A. J., M.E. Monaco, D.M. Nelson, and M.G. McCormick-Ray. 1993. Biologically-based estuarine salinity zones derived from a multivariate analysis. *Estuaries* 16(2): 311-322.
- Bulthuis, D. A. 1994. Light environment/implications for management. p. 23-27 in S. Wyllie-Echeverria, A. M. Olson and M. J. Hershman eds. *Seagrass Science and Policy in the Pacific Northwest: Proceedings of a seminar Series*. U.S. Environmental Protection Agency, (SMA). EPA 910/r-94-004, 63 p.
- Burbidge, R. G. 1974. Distribution, growth, selective feeding and energy transformations of young-of-the-year blueback herring in the James River, Virginia. *Transactions of the American Fisheries Society* 103 : 297-311.
- Burke, J. S., J.M. Miller, and D.E. Hoss. 1991. Immigration and settlement pattern of *Paralichthys dentatus* and *P. lethostigma* in an estuarine nursery ground, North Carolina, USA. *Netherlands Journal Sea Research* 27: 393-405.
- Burkholder, J. M. and H.B. Glasgow Jr. 1997. *Pfiesteria piscicada* and other *Pfiesteria*-like dinoflagellates: behavior, impacts, and environmental controls. *Limnology and oceanography* 42: 1052-1075.

- Burkholder, J. M., H.B. Glasgow Jr., and J.E. Cooke. 1994. Comparative effects of water-column nitrate enrichment on eelgrass *Zostera marina*, shoalgrass *Halodule wrightii*, and widgeongrass *Ruppia maritima*. *Marine Ecology Progress Series* 105: 121-138.
- Burkholder, J. M., H.B. Glasgow Jr., and C.W. Hobbs. 1995. Distribution and environmental conditions for fish kills linked to a toxic ambush predator dinoflagellate. *Marine Ecology Progress Series* 124: 43-61.
- Burkholder, J. M., M.A. Mallin, H.B. Glasgow Jr., L.M. Larsen, M.R. McIver, G.C. Shank, N. Deamer-Melia, D.S. Briley, J. Springer, B.W. Touchette, and E.K. Hannon. 1997. Impacts to a coastal river and estuary from rupture of a swine waste holding lagoon. *Journal of Environmental Quality* 26: 1451-1466.
- Burkholder, J. M., K.M. Mason, and H.B. Glasgow Jr. 1992b. Water-column nitrate enrichment promotes decline of eelgrass *Zostera marina* : Evidence from seasonal mesocosm experiments. *Marine Ecology Progress Series* 81(2): 163-178.
- Burkholder, J. M., E.J. Noga, H.B. Glasgow Jr., and S.A. Smith. 1992a. New "phantom" dinoflagellate is the causative agent of estuarine fish kills. *Nature* 358: 407-410.
- Burrell, V. G. 1986. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (south Atlantic) -- American oyster. US Fish and Wildlife Service, Biological Report 82(11.57) , 17p.
- Butler, P. A. 1971. Influence of pesticides on marina ecosystems. *Proceedings of the Royal Society of London* 177(1048): 321-329.
- Buzzelli, C. P., R.A. Luettich Jr., S.P. Powers, C.H. Peterson, J.E. McNinch, J.L. Pinckney, and H.W. Paerl. 2002. Estimating the spatial extent of bottom water hypoxia and habitat degradation in a shallow estuary. *Marine ecology progress series* 230: 103-112.
- Byrne, D. M. 1995. The effect of bulkheads on estuarine fauna: a comparison of littoral fish and macroinvertebrate assemblages at bulkheaded and non-bulkheaded shorelines in a Barnegat Bay Lagoon. Second Annual Marine Estuarine Shallow Water Science and Management Conference : 53-56.
- Cahoon, L. B., F.M. Bingham, M.A. Mallin, S.A. Kissling, and J.E. Nearhoof. 2000. Effects of Hurricane Floyd flooding on coastal ocean water quality. p. 1 *in*: Abstracts from North Carolina Water Resources Research Conference: The Year of the Hurricanes. WRI.
- Cahoon, L. B. and J.E. Cooke. 1992. Benthic microalgal production in Onslow Bay, North Carolina, USA. *Marine Ecology Progress Series* 84: 185-196.
- Cahoon, L. B., J.C. Hales, K.R. Rowland, E.S. Carey, S. Loucaides, and J.E. Nearhoof. 2003. Shellfishing closures in southwest Brunswick County, North Carolina: septic tanks vs. storm water runoff as fecal coliform sources. *Journal of Coastal Research* - submitted for publication.
- Cahoon, L., D.G. Lindquist, and I.E. Clavijo. 1990. "Live bottoms" in the continental shelf ecosystem: A misconception?. *Diving for science. Proceedings of the American Academy of Underwater Sciences Tenth Annual Scientific Diving Symposium, Oct 4-7 St. Petersburg, FL* : 39-47.
- Cahoon, L. B., J.E. Nearhoof, and C.L. Tilton. 1999. Sediment grain size effect on benthic microalgal biomass in shallow aquatic ecosystems. *Estuaries* 22(3B): 735-741.
- Cahoon, L. B., M.H. Posey, T.D. Alphin, D. Wells, S. Kissling, W. H. Daniels, and J. Hales. 2002. Shrimp and crab trawling impacts on estuarine soft-bottom organisms. UNC-Wilmington, Wilmington, NC, 17p.
- Cairns Jr., J. and J.R. Pratt. 1992. Restoring ecosystem health and integrity during a human population increase to ten billion. *Journal of aquatic ecosystem health*. 1: 59-68.

- Calabrese, A. 1972. How some pollutants affect embryos and larvae of the American oyster and the hard shell clam. *Marine Fisheries Review* 34: 66-77.
- Calabrese, A. and H.C. Davis. 1966. The pH tolerance of embryos and larvae of *Mercenaria mercenaria* and *Crassostrea virginica*. *Biology Bulletin* 131: 427-436.
- Carr, M. H. and M.A. Hixon. 1997. Artificial reefs: The importance of comparisons with natural reefs. *Fisheries* 22(4): 28-33.
- Carr, W. and C. Adams. 1973. Food habits of juvenile marine fishes occupying seagrass beds in the estuarine zone near Crystal River, Florida. *Transactions of the American Fisheries Society* 102(3): 511-540.
- Carraway, R. J. and L.J. Priddy. 1983. Mapping of submerged grass beds in Core and Bogue Sounds, Carteret County, North Carolina, by conventional aerial photography. CEIP Report No. 20, 88p.
- Cashin, G. E., J.R. Dorney, and C. J. Richardson. 1992. Wetland Alteration Trends on the North Carolina Coastal Plain. *Wetlands* 12(2): 63-71.
- Castagna, M. and P. Chanley. 1973. Salinity tolerance of some marine bivalves from inshore and estuarine environments in Virginia waters on the western mid-Atlantic coast. *Malacologia* 12: 47-96.
- CBP (Chesapeake Bay Program). 2000. Chesapeake Bay Agreement 2000. Chesapeake Bay Program, www.chesapeakebay.net/agreement.htm, 19p.
- Cech, J. J. Jr. and D.E. Wohlschlag . 1982. Seasonal patterns of respiration, gill ventilation, and hematological characteristics in the striped mullet, *Mugil cephalus*. *Bulletin of Marine Science* 32: 130-138.
- Chanley, P. E. 1958. Survival of some juvenile bivalves in water of low salinity. *Proceedings of the National Shellfish Association* 48(52-65).
- Chesapeake Bay Commission. 1997. Chesapeake Bay blue crab fishery management plan. Chesapeake Bay Program Office, US EPA, Annapolis, MD, 102p.
- Chesapeake Bay Program. 1995. Guidance for protecting submerged aquatic vegetation in Chesapeake Bay from physical disruption. US Environmental Protection Agency, Annapolis, Md, EPA 903-R-95-013, 15p.
- Chesapeake Research Consortium. 1999. Chesapeake Bay oyster restoration - Consensus of a meeting of scientific experts . VIMS, Wachapreague, Va, Executive Summary, 7p.
- Chester, A. J., R.L. Ferguson, and G.W. Thayer. 1983. Environmental gradients and benthic macroinvertebrate distributions in a shallow North Carolina estuary. *Bulletin of Marine Science* 33(2): 285-295.
- Chestnut, A. F. 1955. The distribution of oyster drills in North Carolina. *Proceedings of the National Shellfishing Association* 46: 134-139.
- Chmura, G. L. and N.W. Ross. 1978. Environmental impacts of marinas and their boats. Rhode Island Sea Grant, Narragansett, RI, P675; RIU-T-78-005.
- Choi, K.-S., E.N. Powell, D.H. Lewis, and S.M. Ray. 1994. Instantaneous reproductive effort in female American oysters, *Crassostrea virginica*, measured by a new immuno- precipitation assay. *Biological Bulletin* 186: 41-61.
- Churchill, J. H., F.E. Werner, R. Luettich, and J.O. Blanton. 1997. Flood tide circulation near Beaufort Inlet, NC: implications for larval recruitment. *Estuaries* 22(in press).
- Churchill, J. H., R.B. Forward, R.A. Luettich, J.J. Hench, W.F. Hettler, L.B. Crowder, and J.O. Blanton. 1999. Circulation and larval fish transport within a tidally dominated estuary. *Fisheries*

- Oceanography. 8 (Suppl. 2): 173-189.
- Clark, J. 1974. Coastal ecosystems, ecological considerations for management of the coastal zone. The Conservation Foundation, Washington D.C.
- Clark, K. L., G.M. Ruiz, and A.H. Hines. 2003. Diel variation in predator abundance, predation risk and prey distribution in shallow-water estuarine habitats. *Journal of Experimental Marine Biology and Ecology* 287(1): 37-55.
- Clay, C. H. 1995. Design of fishways and other fish facilities. Lewis Publishers, Boca Raton, Florida, 248p.
- Cleary, W. J. and T. P. Marden. 1999. A pictorial atlas of North Carolina inlets. NC Sea Grant, Raleigh, NC, UNC-SG-99-04 , 51 p.
- Cloern, J. E. 2001. Our evolving conceptual model of the coastal eutrophication problem. *Marine Ecology Progress Series* 210: 223-253.
- Coastal States Organization. 1997. Putting the public trust doctrine to work - the application of the public trust doctrine to the management of lands, waters, and living resources of the coastal states. 2nd Edition. Coastal States Organization, Inc., Washington, DC, 439p.
- COE (US Army Corps of Engineers). 1979. General consistency determination: sidecast maintenance dredging for Bogue Inlet, New River Inlet, Topsail Inlet, Barden Inlet, Oregon Inlet, Lockwoods Folly Inlet, and Ocracoke Inlet, North Carolina . Letter to NC Division of Coastal Management.
- COE (US Army Corps of Engineers). 1992. Draft environmental impact statement: beach erosion control and hurricane wave protection, Carolina Beach and vicinity area, south project New Hanover County, NC . U.S. Army Corps of Engineers, Wilmington District, Wilmington, NC, 54p.
- COE (US Army Corps of Engineers). 1999. Environmental Impact Statement: Manteo (Shallowbag) Bay North Carolina, Draft Supplement #3 . U.S. Army Corps of Engineers, Wilmington District, 232p.
- COE (US Army Corps of Engineers). 2001. The New York District's biological monitoring program for the Atlantic coast of New Jersey, Asbury Park to Manasquan section beach erosion control project. USACOE, Vicksburg, MS, Final report , 103p.
- COE (US Army Corps of Engineers). 2002. Environmental assessment, fish bypass at Lock and Dam #1. US Army Corps of Engineers, Wilmington District, Wilmington, NC, 28p.
- COE (US Army Corps of Engineers). 2003. Effects of dredged material beach disposal on surf zone and nearshore fish and benthic resources on Bald Head Island, Caswell Beach, Oak Island, and Holden Beach, North Carolina: Interim study findings. Versar, Inc., Columbia, Md.
- Coen L., K. Heck, and L. Abele. 1981. Experiments on competition and predation among shrimps of seagrass meadows. *Ecology* 62 (6): 1484-1493.
- Coen, L. D. and M.W. Luckenbach. 1998. Developing success criteria and goals for evaluating shellfish habitat restoration: ecological function or resource exploitation? Goal Setting and Success Criteria for Habitat Restoration Conference, January 13-15. (abstract)
- Coen, L. E., M.W. Luckenbach, and D.L. Breitburg. 1999. The role of oyster reefs as essential fish habitat: a review of current knowledge and some new perspectives. p. 438-454 *in* L.R. Benaka (ed.). Fish habitat: Essential fish habitat and rehabilitation. American Fisheries Society, Bethesda, MD, Symposium 22 , 459 p.
- Collie, J. S., G.A. Escanero, and P.C. Valentine. 1997. Effects of bottom fishing on the benthic megafauna of Georges Bank. *Marine Ecology Progress Series* 155: 159-182.
- Collie, J. S., S.J. Hall, M.J. Kaiser, and I.R. Poiners. 2000. A quantitative analysis of fishing impacts on shelf-sea benthos. *Journal of Animal Ecology* 69: 785-798.

- Cooper, J. E., S.F. Wood, and R.A. Rulifson. 1994. Extent of water lily (*Nuphar lutea*) beds and their use by larval fishes in the Roanoke River, North Carolina. *Journal of the Elisha Mitchell Scientific Society* 110(2): 84-96.
- Cooper, R. A. 1961. Early life history and spawning migration of the alewife, *Alosa pseudoharengus*. M.S. Thesis, University of Rhode Island, 58 p.
- Cooper, S. R. and G.S. Brush. 1991. A 2500 year history of anoxia and eutrophication in the Chesapeake Bay. *Science* 254: 992-1001.
- Copeland, B. J. 1967. Environmental characteristics of hypersaline lagoons. *Contributions in Marine Science* 4: 207-218.
- Copeland, B. J., R. Hodson, and S.R. Riggs. 1984. The ecology of the Pamlico River, North Carolina: an estuarine profile. U.S. Fish and Wildlife Service Biological Reports FWS/OBS-82/06, 83p.
- Copeland, B. J., R. Hodson, S.R. Riggs, and J.E. Easley Jr. 1983. The ecology of Albemarle Sound, North Carolina: an estuarine profile. U.S. Fish and Wildlife Service, Biological Services Program, FWS/OBS-83/01 , 68p.
- Cotham, W. E. and T.F. Bidleman. 1989. Degradation of malathion, endosulfan, and fenvalerate in seawater and seawater/sediment microcosms. *Journal of Agriculture and Food Chemistry* 37: 824-828.
- Cowardin, L. M., V. Carter, F. C. Golet, and E. T. LaRoe. 1979. Classification of wetlands and deepwater habitats of the United States. U.S. Department of Interior Fish and Wildlife Service, Washington, D.C., FWS/OBS-79/31.
- Crain, A. D., A.B. Bolten, and K.A. Bjorndal. 1995. Effects of beach nourishment on sea turtles: review and research initiatives . *Restoration Ecology* . 3(2): 99-104.
- Crawford, R. E., N.E. Stolpe, and M.J. Moore. 1998. The environmental impacts of boating; Proceedings of a workshop held at Woods Hole Oceanographic Institute, Woods Hole MA USA. WHOI-98-03, 188p.
- Cross, F. A., D.S. Peters, and W.E. Schaaf. 1985. Implications of waste disposal in coastal waters on fish populations. *Aquatic Toxicology and Hazard Assessment: Seventh Symposium, American Society for Testing and Materials, Philadelphia, PA: 383-399.*
- Crowell, B. 1998. Estuarine Shoreline Initiative: memorandum to the Coastal Resources Commission . DCM, Raleigh, NC, 16p.
- Crowell, T. E. 1966. Lake Phelps. In *Coastal Lakes II--1965 Surveys*. NC Wildlife Resource Commission, Statewide Fish-Management.
- Cunningham, P. A., R.J. Curry, R.W. Pratt, S.J. Stichter, K. West, P. P. L. Mercer, S. Sherman, B. Burns, and S. Winslow. 1992. Watershed planning in the Albemarle-Pamlico Estuarine System, report 5 - fishing practices mapping Rep. Report No. 92-05 , 227p.
- Currie, D. R. and G.D. Parry. 1996. Effects of scallop dredging on a soft sediment community: a large-scale experimental study. *Marine Ecological Progress Series* . 134: 131-150.
- Currin, C. A., S.Y. Newell, and H.W. Paerl. 1995. The role of standing dead *Spartina alterniflora* and benthic microalgae in salt marsh food webs: considerations based on multiple stable isotope analysis. *Marine Ecology Progress Series* 121: 99-116.
- Dahl, T. E. 2000. Status and trends of wetlands in the conterminous United States 1986 to 1997. U.S. Fish and Wildlife Service, Washington, D.C.
- Dame, R., M. ALber, D. Allen, A. Chalmers, R. Gardner, G. Gilman, B. Kjerfve, A. Lewitus, M. Mallin, C. Montague, J. Pinckney, and N. Smith. 2000. Estuaries of the south Atlantic coast of North

- America: their geographic signatures. *Estuaries* 23: 793-819.
- Dame, R. F. and B.C. Patten. 1981. Analysis of energy flows in an intertidal oyster reef. *Marine Ecology Progress Series* 5: 115-124.
- Dame, R. F., J.D. Spurrier, and T.G. Wolaver . 1989. Carbon, nitrogen, and phosphorus processing by an oyster reef. *Marine Ecology Progress Series* 54: 249-256.
- Dame, R. F., R.G. Zingmark, and E. Haskins. 1984. Oyster reefs as processors of estuarine material. *Journal of Experimental Marine Biology and Ecology* 83: 239-247.
- Daniel, C. C. I. 1978. Land use, land cover, and drainage on the Albemarle-Pamlico Peninsula, eastern North Carolina, 1974. USGS, Washington, DC, Rep. No. 78-134.
- Dauer, D.M., J.A. Ranasinghe, and S.B. Weisberg. 2000. Relationships between benthic community condition, water quality, sediment quality, nutrient loads, and land use patterns in Chesapeake Bay. *Estuaries* 23(1): 80-96.
- Davis, G. J. and M.M. Brinson. 1976. Submersed macrophytes of the Pamlico River estuary. Water Resources Institute of North Carolina, Raleigh, NC, Report No. 112, 202p.
- Davis, G. J. and M.M. Brinson. 1983. Trends in submerged macrophyte communities of the Currituck Sound: 1909-1979. *Journal of Aquatic Plant Management* 21: 83-87.
- Davis, G. J. and M.M. Brinson. 1989. Submerged aquatic vegetation of the Currituck Sound and the western Albemarle-Pamlico estuarine study. NC Department of Environment, Health, and Natural Resources, Raleigh, NC, Report.
- Davis, H. C. 1958. Survival and growth of clam and oyster larvae at different salinities. *Biology Bulletin* 114: 296-307.
- Davis, H. C. and H. Hidu. 1969a. Effects of turbidity-producing substances in sea water on egg and larvae of three genera of bivalve mollusks. *Veliger* 11: 316-323.
- Davis, H. C. and H. Hidu. 1969b. Effects of pesticides on embryonic development of clams and oysters and on survival and growth of the larvae. *Fisheries Bulletin* 67: 393-398.
- Dawes, C. J., D. Hanisak, and W.J. Kenworthy . 1995. Seagrass biodiversity in the Indian River Lagoon. *Bulletin of Marine Science* 57: 59-66.
- Day, J. 1967. The biology of Knysna Estuary, South Africa. p. 397-407 *in* G. H. Lauff (ed.). *Estuaries*.
- Day, J., C. Hall, W. Kemp, and A. Yanez-Arancibia (eds). 1989. *Estuarine Ecology*. John Wiley & Sons, Inc. New York, NY, 558p.
- Day, J.W. Jr., T.J. Butler, and W.G. Conner. 1977. Productivity and nutrient export studies in a cypress swamp and lake system in Louisiana. p. 255-269 *in* M. Wiley (ed.). *Estuarine Processes*. Academic Press, New York, NY, II .
- DCM (North Carolina Division of Coastal Management). 2002. Estuarine biological and physical processes work group: Draft recommendations for appropriate shoreline management options in the North Carolina estuarine system. Unpub. rep., Raleigh, NC, 35 p.
- De Jong, V. N. and J. E. E. Van Beusekom. 1995. Wind- and tide- induced resuspension of sediment and microphytobenthos from tidal flats in the Ems estuary. *Limnology and Oceanography* 40: 766-778.
- DeAlteris, J., L. Skrobe, and C. Lipsky. 1999. The significance of seabed disturbance by mobile fishing gear relative to natural processes: A case study in Narragansett Bay, Rhode Island. *American Fisheries Symposium* 22: 14.
- DeAngelis, D. L., P.J. Mulholland, A.V. Palumbo, A.D. Steinman, M.A. Huston, and J.W. Elwood. 1989. Nutrient dynamics and food-web stability. *Annual Review of Ecology and Systematics* 20: 71-95.

- DeBrosse, G. A. and K.S. Allen. 1996. The suitability of land-based evaluations of *Crassostrea gigas* (Thunberg, 1793) as an indicator of performance in the field. *Journal of Shellfish Research* 15: 291-295.
- DeFur, P. L. and L. Foersom. 2000. Toxic chemicals: can what we don't know harm us? *Environmental Research Section A* 82: 113-133.
- DEHNR (NC Dept. of Environment Health and Natural Resources). 1990. North Carolina coastal marinas: water quality assessment. DEHNR, Raleigh, NC, 90-01, 69p.
- DEHNR (NC Dept. of Environment Health and Natural Resources). 1991. Coastal marinas: field survey of contaminants and literature review. Raleigh, NC, 1991, 91-03, 28p.
- DEHNR (NC Dept. of Environment Health and Natural Resources). 1995a. North Carolina coastal nonpoint pollution control program. Volume VI: hydromodification. DEHNR, Raleigh, NC.
- DEHNR (NC Dept. of Environment Health and Natural Resources). 1995b. North Carolina coastal nonpoint pollution control program. Volume IV: Urban and developing areas. DEHNR, Raleigh, NC.
- DEM (NC Division of Environmental Management). 1989. North Carolina nonpoint source assessment report. NC Natural Resources and Community Development, Raleigh, NC, Report No. 89-02.
- DEM (NC Division of Environmental Management). 1994. An examination of fecal coliform bacteria levels in the South River, Carteret County, NC. NC DEHNR, DEM, Raleigh, NC, 71p.
- Dennison, W. C. and R.S. Alberte. 1986. Photoadaptation and growth of *Zostera marina* L. (eelgrass) along a depth gradient. *Journal of Experimental Marine Biology and Ecology* 98: 265-282.
- Dennison, W. C., R.J. Orth, K.A. Moore, J.C. Stevenson, V. Carter, S. Kollar, P.W. Bergstrom, and R. Batiuk. 1993. Assessing water quality with submerged aquatic vegetation. *Bioscience* 43: 86-94.
- DENR (NC Department of Environment and Natural Resources). 2000a. Coastal Habitat Protection Plans - summary of scientific workshop. DENR, DMF, Morehead City, NC, unpub. rep. 26p.
- DENR (NC Department of Environment and Natural Resources). 2000b. Beach and mountain restoration plan. N.C. Department of Environment and Natural Resources, 19p.
- DENR (NC Department of Environment and Natural Resources). 2000c. Log Salvage Policy Development Team. Log Salvage Final Report . DENR, Raleigh, NC.
- DENR (NC Department of Environment and Natural Resources). 2001. Framework for the conversion of anaerobic swine waste lagoons and sprayfields. Unpub. doc., 7p.
- Desbonnet, A., P. Pogue, D. Reis, J. Boyd, J. Willis, and M. Imperial. 1994. Vegetated buffers in the coastal zone - a summary review and bibliography. University of Rhode Island Graduate School of Oceanography, Narragansett, RI, Coastal Resources Center Technical Report No. 2064 , 72p.
- Deubler Jr., E. F. and G.S. Posner. 1963. Response of postlarval flounders to water of low oxygen concentration. *Copeia* : 312-317.
- Devick, W. S. 1991. Patterns of introductions of aquatic organisms to Hawaiian freshwater habitats. *American Malacological Bulletin*. New directions in research, management and conservation of Hawaiian freshwater stream ecosystem. *Proceedings of Freshwater Stream Biology and Fisheries Management Symposium Special Edition No. 2*: 7-39.
- DeVries, D. A. 1981. Description and Catch Composition of North Carolina's Long Haul Seine Fishery. *Southeastern Association of Fish and Wildlife Agency* 34: 234-247.
- Diaby, S. 1997. Economic analysis of North Carolina's coastal fishing industry; a preliminary assessment for Carteret County. N.C. Department of Environment and Natural Resources, Division of Marine Fisheries, 27p.

- Diaby, S. 1999. An economic profile of the commercial fishing industry in coastal North Carolina. N.C. DENR, DMF, Unpub. rep. 46 p.
- Diaz, R. J. and R. Rosenberg. 1995. Marine benthic hypoxia: a review of its ecological effects and the behavioral response of benthic macrofauna. *Oceanography and Marine Biology Annual Review* 33: 245-303.
- Dickson, A. W. 1958. Some ecological observations in Currituck Sound. North Carolina Wildlife Resources Commission, Raleigh, NC, Mimeo. Report , 11p.
- Dillon, C. R. 1971. A comparative study of the primary productivity of estuarine phytoplankton and macrobenthic plants. Ph.D. Dissertation, University of North Carolina - Chapel Hill, Chapel Hill, NC, 112 p.
- DMF (North Carolina Division of Marine Fisheries). 1988. North Carolina artificial reef master plan. DMF, Morehead City, NC, 57 p.
- DMF (North Carolina Division of Marine Fisheries). 1990. Justification for submerged aquatic vegetation critical habitat designation. DMF , Unpub. rep. , 15p.
- DMF (North Carolina Division of Marine Fisheries). 1993. Description of North Carolina's coastal fishery resources, 1972-1991. NC Department of Environment, Health and Natural Resources, Division of Marine Fisheries, Morehead City, NC, Report #277 , 213p.
- DMF (North Carolina Division of Marine Fisheries). 1995. North Carolina artificial reef guide. DMF, Morehead City, NC, 75 p.
- DMF (North Carolina Division of Marine Fisheries). 1998. North Carolina artificial reef monitoring and evaluation. DMF, Morehead City, NC, Annual Performance Report, Grant F-41-7 , 15p.
- DMF (North Carolina Division of Marine Fisheries). 1999. Shrimp and crab trawling in North Carolina's estuarine waters. DENR, Morehead City, NC, Report to NC Marine Fisheries Commission , 121p.
- DMF (North Carolina Division of Marine Fisheries). 2000a. Red drum fishery management plan. DMF, Morehead City, NC, 106p.
- DMF (North Carolina Division of Marine Fisheries). 2000b. Fish sampling for the presence or absence of disease. Interim report #2: March 1999 - January 2000. DMF, Morehead City, NC, 46 p.
- DMF (North Carolina Division of Marine Fisheries). 2000c. North Carolina Fishery Management Plan for Albemarle Sound area river herring. NC Division of Marine Fisheries, Morehead City, NC, 126p.
- DMF (North Carolina Division of Marine Fisheries). 2000d. Blue crab fishery management plan. NC DENR, DMF, Morehead City, NC, 171p.
- DMF (North Carolina Division of Marine Fisheries). 2001a. North Carolina oyster fishery management plan. N.C. Department of Environment and Natural Resources, Division of Marine Fisheries, 225 p.
- DMF (North Carolina Division of Marine Fisheries). 2001b. North Carolina hard clam fishery management plan. N.C. Department of Environment and Natural Resources, Division of Marine Fisheries, 164 p.
- DMF (North Carolina Division of Marine Fisheries). 2001c. Assessment of North Carolina commercial finfisheries, 1997-2000. North Carolina Division of Marine Fisheries, Morehead City, NC.
- DMF (North Carolina Division of Marine Fisheries). 2001d. Application for renewal of incidental take permit number 1008 under the Endangered Species Act of 1973. DMF, Morehead City, NC.
- DMF (North Carolina Division of Marine Fisheries). 2002. North Carolina artificial reef monitoring and evaluation. DMF, Morehead City, Annual Performance Report Grant F-41-11, 15p.
- DMF (North Carolina Division of Marine Fisheries). 2003a. North Carolina Stock Status Report, 2002.

DMF, Morehead City, NC.

- DMF (North Carolina Division of Marine Fisheries). 2003b. Draft NC striped bass development team issue paper . DMF and NC WRC, Morehead City, NC, Water flow issues, 32 p.
- DMF (North Carolina Division of Marine Fisheries). 2003c. Survey of population parameters of marine recreational fishes in North Carolina, Annual Progress Report, Grant F-42, Jan-Dec 2002 . DMF, Morehead City, NC, 49p.
- Donnelly, J. P. and M.D. Bertness. 2001. Rapid shoreward encroachment of salt marsh cordgrass in response to accelerated sea-level rise. *Proceeding of the National Academy of Science* 98(25): 14218-14223.
- Donoghue, C. R. 1999. The influence of swash processes on *Donax variabilis* and *Emerita talpoida*. PhD Dissertation, University of Virginia, Charlottesville, Va, 197 p.
- Dorsey, E. M. and J. Pederson. 1992. Effects of fishing gear on the sea floor of New England. Conservation Law Foundation, Boston, MA, . 160p.
- Duarte, C. M. 1991. Seagrass depth limits. *Aquatic Botany* 40: 363-377.
- Duarte, C. M. 1995. Submerged aquatic vegetation in relation to different nutrient regimes. *Ophelia* 41: 87-112.
- Durako, M. J. 1994. Seagrass die-off in Florida Bay (USA): changes in shoot demographic characteristics and population dynamics in *Thalassia testudinum*. *Marine Ecology Progress Series* 110: 59-66.
- DWQ (North Carolina Division of Water Quality). 1990. North Carolina coastal marinas: water quality assessment. DEHNR, Division of Water Quality, Raleigh, NC, 90-01 , 69p.
- DWQ (North Carolina Division of Water Quality). 1993. Indicators of freshwater wetland function and value for protection and management. N.C. Department of Environment, Health, and Natural Resources, Water Quality section, 50p.
- DWQ (North Carolina Division of Water Quality). 1997a. Chowan River Basinwide Water Quality Management Plan. North Carolina Division of Water Quality - Water Quality Section, Raleigh, NC.
- DWQ (North Carolina Division of Water Quality). 1997b. Neuse River Basinwide Water Quality Management Plan. North Carolina Division of Water Quality - Water Quality Section, Raleigh, NC.
- DWQ (North Carolina Division of Water Quality). 1998. Neuse River estuary SAV ground-truthing study. DWQ, Unpub. Rep. 11p.
- DWQ (North Carolina Division of Water Quality). 1999a. Tar-Pamlico River Basinwide Water Quality Plan. N.C. Department of Environment and Natural Resources, Raleigh, NC.
- DWQ (North Carolina Division of Water Quality). 1999b. Lumber River Basinwide Water Quality Plan. N.C. Department of Environment and Natural Resources, Raleigh, NC, http://h20.enr.state.nc.us/nep/tarpamlico_river_basin.htm.
- DWQ (North Carolina Division of Water Quality). 2000a. Water quality progress in North Carolina in 1998-1999, 305(b) report. DENR, Division of Water Quality, Raleigh, NC, 34p.
- DWQ (North Carolina Division of Water Quality). 2000b. A citizen's guide to water quality management in North Carolina. DENR, Div. Water Quality, Planning Branch, Raleigh, NC, 156p.
- DWQ (North Carolina Division of Water Quality). 2000c. Cape Fear River Basinwide Water Quality Plan. N.C. Department of Environment and Natural Resources, Raleigh, NC.
- DWQ (North Carolina Division of Water Quality). 2000d. North Carolina 303(d) Report . N.C. Department of Environment and Natural Resources, Division of Water Quality, Raleigh, NC, 14 p.

- DWQ (North Carolina Division of Water Quality). 2001a. White Oak River Basinwide Water Quality Plan. N.C. Department of Environment and Natural Resources, Raleigh, NC, <http://h20.enr.state.nc.us/nepp>.
- DWQ (North Carolina Division of Water Quality). 2001b. Annual report of fish kill events. DENR, Raleigh, NC, 10p.
- DWQ (North Carolina Division of Water Quality). 2001c. Roanoke River Basinwide Water Quality Plan. N.C. Department of Environment and Natural Resources, Raleigh, NC, <http://h20.enr.state.nc.us/nepp>.
- DWQ (North Carolina Division of Water Quality). 2001e. Tar-Pamlico River Basinwide Water Quality Plan. N.C. Department of Environment and Natural Resources, Raleigh, NC, http://h20.enr.state.nc.us/nep/tarpamlico_river_basin.htm.
- DWQ (North Carolina Division of Water Quality). 2002a. Neuse River Basinwide Water Quality Plan. N.C. Department of Environment and Natural Resources, Raleigh, NC, <http://h20.enr.state.nc.us/nepp>.
- DWQ (North Carolina Division of Water Quality). 2002b. Chowan River Basinwide Water Quality Plan. N.C. Department of Environment and Natural Resources, Raleigh, NC, <http://h20.enr.state.nc.us/nepp>.
- DWQ (North Carolina Division of Water Quality). 2002c. Pasquotank River Basinwide Water Quality Plan. N.C. Department of Environment and Natural Resources, Raleigh, NC, <http://h20.enr.state.nc.us/nepp>.
- DWR (North Carolina Division of Water Resources). 1996. Economic and environmental impacts of N.C. aquatic weed infestations. North Carolina Department of Environment, Health and Natural Resources.
- DWR (North Carolina Division of Water Resources). 2001. North Carolina state water supply plan. DENR, Raleigh, NC.
- Dyer, K. R. and R.J. Orth. 1994. Changes in fluxes in estuaries: implications from science to management. Olsen and Olsen, Fredenburg, Denmark.
- Eby, L., L. Crowder, and C. McClellan. 2000. Neuse River estuary modeling and monitoring project Stage 1: effects of water quality on distribution and composition of the fish community. Water Resources Research Institute, Raleigh, NC, Report N. 325-C, 2p.
- Eggleston, D. B., L.L. Etherington, and W.E. Elis. 1998. Organism response to habitat patchiness: species and habitat-dependent recruitment of decapod crustaceans. *Journal of Experimental Marine Biology and Ecology* 223(1): 111-132.
- Elis, W. E., D.B. Eggleston, L.L. Etherington, C.P. Dahlgren, and M.H. Posey. 1996. Patch size and substrate effects on macrofaunal recruitment. p. 94 *in*: Abstracts from Twenty-fourth Annual Benthic Ecology Meeting.
- Ellifrit, N. J., M.S. Uoshinaka, and D.W. Coon. 1972. Some observations of clam distribution at four sites on the Hook Canal, Washington. *Proceedings of the National Shellfish Association* 63: 7.
- Ellis, W. 1995. The intertidal distribution of the daggerblade grass shrimp: effects of vegetation assessed using bottomless liftnet samples. Twenty-third Benthic Ecology Meeting .
- Engel, J. and R. Kvitek. 1998. Effects of otter trawling on a benthic community in Monterey Bay National Marine Sanctuary. *Conservation Biology* 12(6): 1204-1214.
- Ensign, S. E. and M.A. Mallin. 2001. Stream water quality following timber harvest in a Coastal Plain swamp forest. *Water Research* 35: 3381-3390.

- EPA (U.S. Environmental Protection Agency). 1985. Coastal marinas assessment handbook. EPA, Atlanta, GA, 904/6-85-132.
- EPA (U.S. Environmental Protection Agency). 1992. National water quality inventory: 1990 report to Congress. U.S. Environmental Protection Agency, Washington, DC, EPA-503-9-92-006.
- EPA (U.S. Environmental Protection Agency). 2000. Chesapeake Bay submerged aquatic vegetation water quality and habitat based requirements and restoration targets: a second technical synthesis, Executive Summary. US EPA, Annapolis, Md, 19p.
- EPA (U.S. Environmental Protection Agency). 2001. Hydromodification chapter factsheet. <http://www.epa.gov/OWOW/NPS/MMGI/hydro.html>, 12/2001.
- EPA (U.S. Environmental Protection Agency). 2002a. Drinking water advisory: consumer acceptability advice and health effects analysis on sulfate. U.S. Environmental Protection Agency, Washington, D.C., EPA 822-R-02-033, Contract Number 68-C-01-002, Work Assignment Number: B-02.
- EPA (US Environmental Protection Agency). 2002b. National Pollutant Discharge Elimination System - proposed regulations to establish requirements for cooling water intake structures at Phase II existing facilities. Federal Register. April 9: 17,121-17,225.
- Epperly, S. P. 1984. Fishes of the Pamlico-Albemarle Peninsula, N.C., Area Utilization and Potential Impacts. North Carolina Division of Marine Fisheries, Morehead City, NC, Special Scientific Report 42, 129 p.
- Epperly, S. P. 1985. Nekton of the Pamlico-Albemarle peninsula: area utilization. *Estuaries* 8(2B): 8a.
- Epperly, S. P. and S. W. Ross. 1986. Characterization of the North Carolina Pamlico-Albemarle Estuarine Complex. National Marine Fisheries Service - Southeast Fisheries Center, Beaufort, NC, NMFS-SEFC-175, 55p.
- Ernst, C. H. and R.W. Barbour. 1972. Turtles of the United States. University of Kentucky, Lexington, KY.
- Etherington, L. L. and D.B. Eggleston. 2000. Large-scale blue crab recruitment: linking postlarval transport, post-settlement planktonic dispersal, and multiple nursery habitats. *Marine Ecology Progress Series* 204: 179-198.
- Evans, D. R., R. DiGuilio, and E. Ryan. 1984. Mercury in peat and its drainage waters in eastern North Carolina. Rep. No. 218. WRRRI, Raleigh, NC, 66p.
- Eversole, A. G. 1987. Species profile: life histories and environmental requirements of coastal fishes and invertebrates (south Atlantic)--hard clam. US Fish and Wildlife Service, Biological Report 82(11.75), 33p.
- Evison, L. M. 1988. Comparative studies on the survival of indicator organisms and pathogens in fresh and sea water. *Water Science and Technology* 20: 309-315.
- Fairbanks, L. O. 1963. Biodemographic studies of the clam, *Rangia cuneata*, Gray. *Tulane Study. Zoology* 10: 3-47.
- Fay, C. W., R.J. Neves, and G.B. Pardue. 1983a. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (mid-Atlantic) -- Atlantic silversides. US Fish and Wildlife Service, Division of Biological Services, FWS/OBS-82/11.10, 15p.
- Fay, C. W., R.J. Neves, and G.B. Pardue. 1983b. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (mid-Atlantic) -- alewife/blueback herring. US Fish and Wildlife Service, Division of Biological Services, FWS/OBS-82/11.9, 15p.
- Fay, C. W., R.J. Neves, and G.B. Pardue. 1983c. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (mid-Atlantic) -- bay scallop. US Fish and Wildlife

- Service, Division of Biological Services, FWS/OBS-82/11.12 , 17p.
- Fay, C. W., R.J. Neves, and G.B. Pardue. 1983d. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (mid-Atlantic) -- striped bass. US Fish and Wildlife Service, Biological Report FWS/OBS-82/11.8, 36p.
- Federal Register. 2000. Executive Order 13158, Marine Protected Areas. Presidential Documents 65(105): 34909-34911.
- Feierabend, S. J. and J.M. Zelazny. 1987. Status report on our nation's wetlands. National Wildlife Federation, Washington, D.C., 50p.
- Fell, P. E., S.P. Weissbach, D.A. Jones, M.A. Fallon, J.A. Zeppieri, E.K. Faison, K.A. Lennon, K.J. Newberry, and L.K. Reddington. 1998. Does invasion of oligohaline tidal marshes by reed grass, *Phragmites australis* (Cav.) , affect the availability of prey resources for the mummichog, *Fundulus heteroclitus* L.? *Journal of Experimental Marine Biology and Ecology* 222(1-2): 59-77.
- Ferguson, R. L., J.A. Rivera, and L.L. Wood. 1989. Submerged aquatic vegetation in the Albemarle-Pamlico estuarine system. Cooperative agreement between the US EPA, through the State of North Carolina, Albermarle-Pamlico Estuarine Study and the National Marine Fisheries Service Project No. 88-10: 65.
- Ferguson, R. L. and L.L. Wood. 1990. Mapping submerged aquatic vegetation in North Carolina with conventional aerial photography. A Report by the National Ocean Pollution Policy Board's Habitat Loss & Modification Working Group. 125-132.
- Ferguson, R. L. and L.L. Wood. 1994. Rooted vascular aquatic beds in the Albemarle-Pamlico estuarine system. NMFS, NOAA, Beaufort, NC, Project No. 94-02 , 103 p.
- Fields, S. 2003. The environmental risks of pleasure boating. *Environmental Health Perspectives* 111(4): A216-A223.
- Fischer, C. A., G.W. Judy, J.H. Hawkins, S.E. Winslow, H.B. Johnson, and B.F. Holland Jr. 1979. North Carolina Anadromous Fisheries Management Program. North Carolina Department of Natural Resources and Community Development, Progress Report AFCS-16-1.
- Fitzgerald, D. M., D.K. Hubbard, and D. Nummendal. 1978. Shoreline changes associated with tidal inlets along the South Carolina coast. Coastal Zone '78, Sixth Symposium of the Waterway, Port, Coastal and Ocean Div. 1973-1984.
- Florida DEP (Department of Environmental Protection). 1995. Protocols for determining major-seawater-ion toxicity in membrane-treatment technology water-treatment concentrate. Florida Department of Environmental Protection, Bureau of Laboratories, Tallahassee, FL.
- Fonseca, M. S. 1996a. The role of seagrasses in nearshore sedimentary processes: a review. p. 261-286 in C. Roman and K. Nordstrom (eds). *Estuarine Shores: Hydrological, Geomorphological and Ecological Interactions*. Blackwell, Boston, MA.
- Fonseca, M. S. 1996b. Scale dependence in the study of seagrass systems: a review. p. 95-104 in J. Kuo, R. C. Phillips D. L. Walker and H. Kirkman eds. *Seagrass Biology: Proceedings of an International Workshop*. Rottneest Island, Western Australia.
- Fonseca, M. S., W. J. Kenworthy, and G. W. Thayer. 1998. Guidelines for the conservation and restoration of seagrasses in the United States and adjacent waters. NOAA Coastal Ocean Office, Silver Springs, Md., NOAA Coastal Ocean Program Decision Analysis Series No. 12, 222p.
- Fonseca, M. S., G.W. Thayer, A.J. Chester, and C. Foltz. 1984. Impact of scallop harvesting on eelgrass (*Zostera marina*) meadows: implications for management. *North American Fisheries Management* 4: 286-293 .
- Francesconi, J. J. 1994. Effect of stop nets on pier and beach angler catch rates and general fish

- movement along Bogue Banks, NC. N.C. Department of Environment and Natural Resources, Division of Marine Fisheries, Morehead City, NC, 17p.
- Frankenberg, D. 1995. Report of the North Carolina Blue Ribbon Advisory Council on Oysters . NC DEHNR, Raleigh, NC.
- Frankensteen, E. D. 1976 . Genus *Alosa* in a channelized and unchannelized creek of the Tar River Basin, North Carolina. M.S. thesis, ECU, Greenville, NC, 123 p.
- Funderburk, S. L., J.A. Mihursky, S.J. Jordan, and D. Riley. 1991. Habitat requirements for Chesapeake Bay living resources. Habitat Objectives Workgroup, Living Resources Subcommittee and Chesapeake Research Consortium with assistance from Maryland Department of Natural Resources, Solomons, MD.
- Gallagher, R. P. 1979. Local distribution of ichthyoplankton in the lower Mississippi River, Louisiana. Ph.D. Dissertation, Louisiana State University, Baton Rouge, LA, 52 p.
- Gambi, M., A. Nowell, and P.A. Jumars. 1990. Flume observations on flow dynamics in *Zostera marina* (eelgrass) beds. Marine Ecology Progress Series 61: 159-169.
- Garbisch, E. W., P.B. Woller, W.J. Bostian, and R.J. McCallum. 1973. Biotic techniques for shore stabilization. p. 405-407 in L.E. Cronin (ed.). Estuarine Research. Academic Press Inc., New York, NY, II.
- Gardner, M. B. 1981. Effects of turbidity on feeding rates and selectivity in bluegills. Transactions of the American Fisheries Society 110: 446-450.
- Gentile, G. 1992. Ultimate wreck diving guide. Gary Gentile Productions, Philadelphia, PA, 152p.
- Giese, G. L., J.L. Eimers, and R.W. Coble. 1997. Simulation of ground-water flow in the Coastal Plain aquifer system of North Carolina. U.S. Geological Survey, U.S. Geological Survey Professional Paper 1404-M , 142p.
- Giese, G. L., H.B. Wilder, and G.G. Parker Jr. 1979. Hydrology of Major Estuaries and Sounds of North Carolina. US Geological Survey , Water Resource Investigations 79-46 , 175p.
- Gilliam, J. W., R.L. Huffman, R.B. Daniels, E.E. Buffington, A.E. Morey, and S.R. Leclerc. 1996. Contamination of surficial aquifers with nitrogen applied to agricultural land. UNC Water Resources Research Institute, Raleigh, NC, Rep. 306.
- Gilliam, J. W., D.L. Osmond, and R.O. Evans. 1994. Riparian wetlands and water quality. Journal of Environmental Quality 23: 896-900.
- Gilmore, G. and Trent X. 1974. Abundance of benthic macroinvertebrates in natural and altered estuarine areas. NMFS, NOAA Technical Report NMFS SSRF - 677 .
- Gilmore, R. G. 1995. Environmental and biogeographic factors influencing ichthyofaunal diversity: Indian River Lagoon. Bulletin of Marine Science 57: 153-170.
- Glasgow, H. B. Jr. and J.M. Burkholder. 2000. Water quality trends and management implications from a five-year study of a eutrophic estuary. Ecological Applications 10(4): 1024-1046.
- Glasgow, H. B. Jr., J.M. Burkholder, M.A. Mallin , N.J. Deamer-Melia, and R.R. Reed. 2001. Field ecology of toxic *Pfiesteria* complex species and a conservative analysis of their role in estuarine fish kills. Environmental Health Perspectives 109: 715-730.
- Godcharles, M. F. 1971. A study of the effects of a commercial hydraulic clam dredge on benthic communities in estuarine areas . Florida Department of Natural Resources , St. Petersburg, FL, 51p.
- Godcharles, M. F. and M.D. Murphy. 1986. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (south Florida) -- king mackerel and Spanish mackerel. U.S. Fish Wildl. Serv. / U.S. Army Corps of Engineers, Biol. Rep. 82(11.58) / TR EL-82-4

, 18p.

- Godwin, W. F., M.W. Street, and T.R. Rickman . 1971. Problems, Priorities, and Research Needs of North Carolina's Marine Fisheries. NC Department of Conservation and Development, Division of Commercial and Sports Fisheries, Raleigh, NC, 41p.
- Goldsborough, W. J. and W.M. Kemp. 1988. Light responses of submersed macrophytes: implication for survival in turbid waters . *Ecology* 69: 1775-1786.
- Goodfellow, W. L., L.W. Ausley, D.T. Burton, D.L. Denton, P.B. Dorn, D.R. Grothe, M.A. Heber, T.J. Norberg-King, and Jr. J.H. Rodgers. 2000. Major ion toxicity in effluents: a review with permitting recommendations. *Environmental Toxicology and Chemistry* 19(1): 175-182.
- Gozelany, J. F. and W.G. Nelson. 1987. The effects of beach replenishment of the benthos of a subtropical Florida beach. *Marine Environmental Research* 21: 75-94.
- Gould, E., P.E. Clark, and F.P. Thurberg. 1994. Pollutant effects on demersal fishes. p. 30-40 *in* R.W. Langton, J. B. Pearce and J. A. Gibson eds. Selected living resources, habitat conditions, and human perturbations of the Gulf of Maine. National Oceanographic and atmospheric Administration, Woods Hole, Mass, NMFS-NE-106.
- Govoni, J. J. and H.L. Spach. 1999. Exchange and flux of larval fishes across the western Gulf Stream front south of Cape Hatteras, USA, in winter. *Fisheries Oceanography*. 8(2): 77-92.
- Grabowski, J. H., D. Pettipas, M.A. Dolan, A.R. Hughes, and D.L. Kimbro. 2000. The economic and biological value of restored oyster reef habitat to the nursery function of the estuary. NC Sea Grant, Morehead City, NC, FRG # 97-EP-6 , 29p.
- Graff, L. and J. Middleton. 2003. Wetlands and fish: catch the link. NOAA, National Marine Fisheries Service, Silver Springs, MD , 48p.
- Gratten, L. M., D. Oldach, T.M. Perl, M.H. Lowitt, D.L. Matuszak, C. Dickson, C. Parrott, R.C. Shoemaker, M.P. Wasserman, J.R. Hebel, P. Charache, and J.G. Morris Jr. 1999. Problems in learning and memory occur in persons with environmental exposure to waterways containing toxin-producing *Pfiesteria* or *Pfiesteria*-like dinoflagellates. *Lancet* 352: 532-539.
- Gray, J. S., R. S. Wu, and Y.Y. Or. 2002. Effects of hypoxia and organic enrichment on the coastal marine environment. *Marine Ecology Progress Series* 238: 249-279.
- Greene, K. 2002. ASMFC Habitat Management Series #7 Beach nourishment: a review of the biological and physical impacts. ASMFC, Washington DC, 174p.
- Greenwood, N. and A. Earnshaw. 1984. Chemistry of the Elements. Pergamon Press, Oxford, England.
- Gregory, J., R. Skaggs, R. Broadhead, R. Culbreath, J. Bailey, and T. Foutz. 1984. Hydrology and water quality impacts of peat mining in North Carolina. Report 214. Water Resources Research Institute, Raleigh, NC, 215 p.
- Gregory, R. S. and T.G. Northcote. 1993. Surface, planktonic, and benthic foraging by juvenile chinook salmon (*Oncorhynchus tshawytscha*) in turbid laboratory conditions. *Canadian Journal of Fisheries and Aquatic Science* 50: 233-240.
- Grimes, C. B., C.S. Manooch III, and G.R. Huntsman. 1982. Reef and rock outcropping fishes of the outer continental shelf of North Carolina and South Carolina, and ecological notes on the red porgy and vermilion snapper. *Bulletin of Marine Science*. 32(1): 277-289.
- Groen , C. L. and J.C. Schmulbach. 1978. The sport fishery of the unchannelized and channelized middle Missouri River. *Transaction of the American Fishery Society* 107: 412-418.
- Groffman, P. M., A.J. Gold, T.P. Husband, R.C. Simmons, and W.R. Eddleman. 1991. An investigation into multiple uses of vegetated buffer strips. Providence, RI, NBP-91-63.

- Grossman, G. D., G.P. Jones, and W.J. Seaman Jr. 1997. Do artificial reefs increase regional fish production? A review of existing data. *American Fisheries Society* 22(4): 17-23.
- Guarini, J.-M., G.F. Blanchard, P. Gros, D. Gouleau, and C. Bacher. 2000. Dynamic model of the short-term variability of microphytobenthic biomass on temperate intertidal mudflats. *Marine Ecology Progress Series* 195: 291-303.
- Gunter, G. 1955. Mortality of oysters and abundance of certain associates as related to salinity. *Ecology* 36: 601-605.
- Guthrie J.F., R.L. Kroger, H.R. Gordy, and C. W. Lewis. 1973. The long-haul fishery of North Carolina. *Marine Fisheries Review* 35(12): 27-33.
- Guthrie, J.F. and C. W. Lewis. 1982. The clam-kicking fishery of North Carolina. *Marine Fisheries Review* 44(1): 16-21.
- Hackney, C. T. and W.J. Cleary. 1987. Saltmarsh loss in southeastern North Carolina lagoons: importance of sea level rise and inlet dredging. *Journal of Coastal Research* 3(1): 93-97.
- Hackney, C. T., J. Grimley, M. Posey, T. Alphin, and J. Hyland. 1998. Sediment contamination in North Carolina's estuaries. Center for Marine Science Research, UNC-W, Wilmington, NC, Publication #198, 59p.
- Hackney, C. T., M.H. Posey, S.W. Ross, and A.R. Norris. 1996. A review and synthesis of data on surf zone fishes and invertebrates in the South Atlantic Bight and the potential impacts from beach renourishment. Prepared for Wilmington District, US Army Corps of Engineers. UNC-Wilmington, Wilmington, NC, 111p.
- Haines, E. B. 1979. Interactions between Georgia salt marshes and coastal waters: a changing paradigm. p. 35-46 in R.J. Livingston (ed.). *Ecological Processes in Coastal and Marine Systems*. Plenum, NY.
- Hallegraef, G. M. 1998. Transport of toxic dinoflagellates via ships' ballast water: bioeconomic risk assessment and efficacy of possible ballast water management strategies. *Marine Ecology Progress Series* 168: 297-308.
- Halpern, B. 2003. The impact of marine reserves: do reserves work and does reserve size matter? *Ecological Applications* 13(1): S117-S137.
- Hamilton, A. N. 2000. Gear impacts on Essential Fish Habitat in the southeastern region. NMFS, Pascagoula, Ms, Unpub. rep. 41p.
- Hardaway, C. S. 1980. Shoreline erosion and its relationship to the geology of the Pamlico River estuary. M.S. Thesis, East Carolina University, Greenville, NC, 116 p.
- Harding, J. M. and R. Mann. 1999. Fish species in relation to restored oyster reefs, Piankatank River, Virginia. *Bulletin of Marine Science* 65(1): 289-300.
- Hardy, J.D. Jr. 1978a. Development of the fishes of the Mid-Atlantic Bight, an atlas of egg, larval, and juvenile stages, Vol. II. Anguillidae through Sygnathidae. US Fish and Wildlife Service, FWS/OBS-78/12 .
- Hardy, J.D. Jr. 1978b. Development of the fishes of the Mid-Atlantic Bight, an atlas of egg, larval, and juvenile stages, Vol. III. Aphredoderidae through Rachycentridae. US Fish and Wildlife Service, FWS/OBS-78/12 .
- Hare, J. O., J.A. Quinlan, F.E. Werner, B.O. Blanton, J.J. Govini, R.B. Forward, L.R. Settle, and D.E. Hoss. 1999. Larval transport during winter in the SABRE study area: results of a coupled vertical larval behavior-three-dimensional circulation model. *Fisheries Oceanography*. 8(2): 57-76.
- Hargis, W. J. Jr. and D.S. Haven. 1988. Rehabilitation of the troubled oyster industry of the lower Chesapeake Bay. *Journal of Shellfish Research*. 7(2): 271-279.

- Hargis, W. J. Jr. and D.S. Haven. 1999. Chesapeake Bay oyster reefs, their importance, destruction and guidelines for restoring them. p. 329-358 in M.W. Luckenbach, R. Mann and J. A. Wesson eds. Oyster reef habitat restoration: a synopsis of approaches. Virginia Institute of Marine Science Press, 1999.
- Hartness, T. S. and D. R. Pearson. 1977. Estuarine shoreline inventory for Pender, New Hanover, and Brunswick Counties, North Carolina: NC Coastal Resources Commission Report. Unpub. Rep. 47p.
- Hartwell, S. I., R.W. Alden, D.A. Wright, S. Ailstock, and R. Kerhin. 2000. Correlation of measures of ambient toxicity and fish community diversity in a Chesapeake Bay tributary, Maryland, USA: a biological, chemical, and geological assessment. Environmental Toxicology and Chemistry 19: 1753-1763.
- Hassler, W. W., N.L. Hill, and J.T. Brown. 1981. The status and abundance of striped bass, *Morone saxatilis*, in the Roanoke River and Albemarle Sound, North Carolina, 1956-1980. NC Division of Marine Fisheries, Morehead City, NC, Special Scientific Report No. 38 , 156p.
- Haven, D. and R. Morales-Alamo. 1970. Filtration of particles from suspension by American oyster, *Crassostrea virginica*. Biological Bulletin 139: 248-264.
- Hawkins, J. H. 1980. Investigations of anadromous fishes of the Neuse River, North Carolina. DMF, Morehead City, NC, Special Science Report No. 34 , 111p.
- Hay, M. E. and J.P. Sutherland. 1988. The ecology of rubble structures of the South Atlantic Bight: A Community Profile. USFWS, Biological Rep. 85 , 67p.
- Heath, R. C. 1975. Hydrology of the Albemarle-Pamlico region, North Carolina: a preliminary report on the impact of agricultural developments. US Geological Survey Water Resources Investigations 80(44): 1-85.
- Heck, K. L., K.W. Able, M.P. Fahay, and C.T. Roman. 1989. Fishes and decapod crustaceans of Cape Cod eelgrass meadows: species composition, seasonal abundance patterns and comparison with unvegetated substrates. Estuaries 12(2): 59-65.
- Heck, K. L. Jr. and R. J. Orth. 1980. Structural components of eelgrass (*Zostera marina*) meadows in the lower Chesapeake Bay - decapod crustacea. Estuaries 4: 289-295.
- Hefner, J. M. and J.D. Brown. 1985. Wetland trends in the Southeastern United States. Wetlands 4: 1-11.
- Heinz Center . 2002. The State of the Nation's Ecosystems: Measuring the Land, Waters, and Living Resources of the United States. Cambridge University Press, New York, NY, 276p.
- Henson, M. 1995. Forest practice guidelines and best management practices - implementation and effectiveness survey on timber operations in North Carolina. NC DEHNR, Raleigh, NC, Unpub. rep. 19p.
- Hermelin, J. G., C. Bouchon, and J.S. Hong. 1981. Pollution impact on the distribution of echinoderm populations of hard bottoms in Provence (North Western Mediterranean Sea). Tethys 10(1): 13-36.
- Hester Jr., J. M. and B.J. Copeland . 1975. Nekton population dynamics in the Albemarle Sound and Neuse River estuaries. University of North Carolina Sea Grant, UNC-SG-75-02 , 129p.
- Hettler, W. F. J. and D.L. Barker. 1993. Distribution and abundance of larval fish at two North Carolina inlets. Estuarine, Coastal, and Shelf Sciences 37: 161-179.
- Hightower, J. E. and J.R. Jackson. 2000. Distribution and natural mortality of stocked striped bass in Lake Gaston, North Carolina. North Carolina Wildlife Resources Commission , Research Reports Study Number 5.
- Hildebrand, S. F. and W.C. Schroeder. 1972. Fishes of the Chesapeake Bay. Smithsonian Institution

- Press, Washington, DC, 388p.
- Hill, J., J.W. Evans, and M.J. Van Den Avyle. 1989. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (South Atlantic)--striped bass. Fish Wildl. Serv. / U.S. Army Corps of Engineers, Biol. Rep. 82(11.118) / TR EL-82-4 , 35p.
- Hingston, J. A., C.D. Collins, R.J. Murphy, and J.N. Lester. 2001. Leaching of chromated copper arsenate wood preservatives: a review. *Environmental Pollution* 111: 53-66.
- Holder, D. R., L. McSwain, W.D. Hill Jr., W. King, and C. Sweet. 1970. Population studies of streams. Game and Fish Commission, Department of Natural Resources, Atlanta, GA, Annual Progress Report F-21-2, Study XVI .
- Holland, A., R. Zingmark, and J. Dean. 1974. Quantitative evidence concerning the stabilization of sediments by marine benthic diatoms. *Marine Biology* 27: 191-196.
- Holland, B. F. J. and G.F. Yelverton. 1973. Distribution and biological studies of anadromous fishes offshore North Carolina . NC Department of Natural and Economic Resources, Division of Commercial and Sport Fisheries, Morehead City, NC, Special Sci. Rep. No. 24, AFS-5-3, 132p.
- Hong, J.-S. 1983. Impact of the pollution on the benthic community. Environmental impact of the pollution on the benthic coralligenous community in the Gulf of Fos, northwestern Mediterranean. *Bulletin of the Korean Fisheries Society* 16(3): 273-290.
- Huffman, R. L. 1999. Evaluating the impacts of older swine lagoons on shallow groundwater. p. 92-98 *In: Proceedings of the 1999 animal waste management symposium, January 27-28, 1999, Embassy Suites Hotel and Conference Center. Cary, NC.*
- Huntsman, G. R. 1979. The biological bases of reef fishery production. *Proceedings of the Gulf and Caribbean Fisheries Institute, Miami Beach, FL: 167-174.*
- Huntsman, G. R. and C.S. Manooch III. 1978. Coastal Pelagic and Reef Fishes in the South Atlantic Bight. *Marine Recreational Fisheries* : 97-106.
- Hurley, L. M. 1990. Field Guide to the Submerged Aquatic Vegetation of Chesapeake Bay. USFWS, Chesapeake Bay Estuary Program, Annapolis, Md, 48p.
- Iannuzzi, T. J., M.P. Weinstein, K.G. Sellner, and J.C. Barrett. 1996. Habitat disturbance and marina development: An assessment of ecological effects. I. Changes in primary production due to dredging and marina construction. *Estuaries* 19(2A): 257-271.
- Imberger, R. 1983. The influence of water motion on the distribution and transport of materials in a salt marsh estuary. *Limnology and Oceanography* 28: 201-214.
- Inman, D. and R. Dolan. 1989. The Outer Banks of North Carolina: budget of sediment and inlet dynamics along a migrating barrier system. *Journal of Coastal Research* 5(2): 192-237.
- Inoue, M. and W.J. Wiseman. 2000. Transport, mixing and stirring processes in a Louisiana estuary: a model study. *Estuarine and Coastal Shelf Science* 50: 449-466.
- IPPC (Intergovernmental Panel on Climate Change). 1990. Climate change: the Intergovernmental Panel on Climate Change scientific assessment: J.T. Houghton, G.J. Jenkins, and J.J. Epharuaums, eds. Press Syndicate, University of Cambridge, New York, NY, 365p.
- Irlandi, E. A. 1994. Large- and small-scale effects of habitat structure on rates of predation: How percent coverage of seagrass affects rates of predation and siphon nipping on an infaunal bivalve. *Oecologia* 98(2): 176-183.
- Irlandi, E. A. 1997. Seagrass patch size and survivorship of an infaunal bivalve. *Oikos* 78(3): 511-518.
- Irlandi, E. A. and M.K. Crawford. 1997. Habitat linkages: the effect of intertidal saltmarshes and adjacent subtidal habitats on abundance, movement, and growth of an estuarine fish. *Oecologia*

110(2): 222-230.

- Jaap, W. C. 1984. The ecology of the South Florida coral reefs: a community profile. US Fish and Wildlife Service, FWS/OBS 82/08 , 138p.
- Jackivicz , T. P. Jr. and L.N. Kuzminski. 1973. A review of outboard motors effects on the aquatic environment. *Journal of the Water Pollution Control Federation* 48(8): 1759-1770.
- Jackson, J. B. C., M. Kirby, W.H. Berger, K.A. Bjorndal, L.W. Botsford, B.J. Bourque, R.H. Bradbury, R. Cooke, J. Erlandson, J.A. Estes, T.P. Hughes, S. Kidwell, C.B. Lange, H.S. Lenihan, J.M. Pandolfi, C.H. Peterson, R.S. Steneck, M.J. Tegner, and R.R. Warner. 2001. Historical overfishing and the recent collapse of coastal ecosystems. *Science* 293: 629-638.
- Johnson, G. D. 1978. Development of fishes of the Mid-Atlantic Bight, an atlas of egg, larval, and juvenile stages, Vol. IV. Carangidae through Ehippidae. US Fish and Wildlife Service Biological Service Program, FWS/OBS-72/12 .
- Johnson, J. C. and M.K. Orbach. 1996. Effort management in North Carolina fisheries: a total systems approach. NC Sea Grant College Program and Institute for Coastal and Marine Resources, UNC-SG-96-08, Technical Report 96-07 , 155p.
- Johnson, L. L., T.K. Collier, and J.E. Stein. 2002. An analysis in support of sediment quality thresholds for polycyclic aromatic hydrocarbons (PAHs) to protect estuarine fish . *Aquatic Conservation: Marine and Freshwater Ecosystems* 12(5): 517-538.
- Jokiel, P. L. 1978. Effects of water motion on coral reefs. *Journal of Experimental Marine Biology and Ecology* 35: 87-97.
- Jones, R. A. and T.M. Sholar. 1981. The effects of freshwater discharge on estuarine nursery areas of Pamlico Sound. NC Division of Marine Fisheries, Morehead City, NC, Project CEIP 79-11 , 60p.
- Jordan, S., C. Stenger, R. B. M. Olson, and K. Mountford. 1992. Chesapeake Bay dissolved oxygen goal for restoration of living resources. United States Environmental Protection Agency, Annapolis, MD.
- Junk, W. J., P.B. Bayley, and R.E. Sparks. 1989. The floodplain Pulse Concept in river-floodplain systems. p. 110-127 in D.P. Dodge (ed.). *Proceedings of the International Large River Symposium* . Canadian Special Publications Aquatic Sciences 106.
- Jutte, P. C., R.F. Van Dolah, G.Y. Ojeda, and P.T. Gayes. 2001a. Final report. An environmental monitoring study of the Myrtle Beach renourishment project: physical and biological assessment of offshore sand borrow sites. Phase II - Cane South Borrow Area. SC DNR and Coastal Carolina University, Charleston, SC, 70p.
- Jutte, P. C., L.E. Zimmerman, R.F. Van Dolah, G.Y. Ojeda, and P.T. Gayes. 2001b. Final report. An environmental monitoring study of the Myrtle Beach renourishment project: physical and biological assessment of offshore sand borrow sites. Phase III - Surfside Borrow Area. SC DNR and Coastal Carolina University, Charleston, SC, 80p.
- Jutte, P. C., R.F. Van Dolah, and M.V. Levison . 1999. An environmental monitoring study of the Myrtle Beach renourishing project: intertidal benthic community assessment. Phase II- Myrtle Beach. Final Report, prepared by Marine Resources Division; submitted to US Army Corps of Engineers. SC Department of Natural Resources, Charleston, SC, 34p.
- Kaiser, M. J. and B.E. Spencer. 1996. Behavioural responses of scavengers to beam trawl disturbance. p. 116-123 in S.P.R. Greenstreet and M. L. Tasker (eds.). *Aquatic predators and their prey*. Fishing News Book, Oxford.
- Kapolnai, A., R.E. Werner, and J.O. Blanton. 1996. Circulation, mixing, and exchange processes in the vicinity of tidal inlets. *Journal of Geophysical Research* 101(14): 253-268.
- Kaumeyer, K. R. and E.M. Setzler-Hamilton. 1982. Effects of pollutants and water quality on selected

- estuarine fish and invertebrates: a review of the literature. US Environmental Protection Agency, Chesapeake Bay Program, Annapolis, MD, UMCEED Ref. no. 82-13- CBL , 171p.
- Keefe, S. B. and R.C. Harriss Jr. 1981. Preliminary assessment of non-anadromous fishes of the Albemarle Sound. NC Division of Marine Fisheries, Morehead City, NC, Project 2-324-R, 46p.
- Keister, J. E., E.D. Houde, and D.L. Breitburg. 2000. Effects of bottom-layer hypoxia on abundances and depth distributions of organisms in Patuxent River, Chesapeake Bay. *Marine Ecology Progress Series* 205: 43-59.
- Keller, A. E. 1996. Contaminant impacts on native freshwater mussels - lethal and sublethal responses relative to water quality criteria. *Journal of Shellfish Research* 15(2): 484-485.
- Kelty, R. and S. Bliven. 2003. Environmental and aesthetic impacts of small docks and piers. NOAA Coastal Ocean Program, Silver Springs, MD, Workshop report: developing a science-based decision support tool for small dock management, phase 1: status of the science , 62p.
- Kemp, W. M., W.R. Boynton, R.R. Twilley, and J.C. Means. 1983. The decline of submerged vascular plants in upper Chesapeake Bay: Summary of results concerning possible causes. *Marine Technology Society Journal* 17: 78-89.
- Kennedy, V. S. 1991. Eastern oyster *Crassostrea virginica*. p. 3-1--3-20 in Funderburk et al. (eds.). *Habitat Requirements of Chesapeake Bay Living Resources* (2nd edition). Chesapeake Bay Research Consortium, Inc., Solomans, MD.
- Kennedy, V. S. 1996. The ecological role of the eastern oyster, *Crassostrea virginica*, with remarks on disease. *Journal of Shellfish Research* 15: 177-183.
- Kennedy, V. S., R.I.E. Newell, and A.F. Ebele. 1996. The Eastern Oyster, *Crassostrea virginica*. Maryland Sea Grant College, College Park, MD.
- Kennedy, V. S., W.H. Roosenburg, M. Castagna, and J.A. Mihursky. 1974. *Mercenaria mercenaria* (Mollusca: Bivalvia): temperature-time relationship for survival of embryos and larvae. *Fisheries Bulletin* 72(4): 1160-1166.
- Kenworthy, W. J. and D.E. Haunert. 1991. The light requirements of seagrasses: proceedings of a workshop to examine the capability of water quality criteria, standards and monitoring progress to protect seagrasses. National Oceanic and Atmospheric Administration, Beaufort, NC, Tech. Memo. NMFS-SEFC-287 , 181p.
- Kenworthy, W. J., M.S. Fonseca, P.E. Whitfield, K. Hammerstrom, and A.C. Schwarzschild. 2000. A comparison of two methods for enhancing the recovery of seagrasses into propeller scars: Mechanical injection of a nutrient and growth hormone solution vs. defecation by roosting seabirds. Center for Coastal Fisheries and Habitat Research, NOAA, Beaufort, NC, Final report , 40 p.
- Kenworthy, W. J. and G.W. Thayer. 1984. Production and decomposition of the roots and rhizomes of seagrasses, *Zostera marina* and *Thalassia testudinum*, in temperate and subtropical marine ecosystems. *Bulletin of Marine Science* 5: 365-379.
- Kerhin, R. T. and J. Halka. 1981. Beach changes associated with bulldozing of the lower foreshore. Maryland Geological Survey, Open File Report 7: 28 p.
- Key, P. B., M.H. Fulton, G.I. Scott, S.L. Layman, and E.F. Wirth. 1998. Lethal and sublethal effects of malathion on three life stages of the grass shrimp, *Palaemonetes pugio*. *Aquatic Toxicology* 40: 311-322.
- Kinnish, M. 1992. Ecology of estuaries: anthropogenic effects. CRC Press, Boca Raton, Fl, 357-398p.
- Kirby, J., W. Maher, and F. Krikowa. 2001. Selenium, cadmium, copper, and zinc concentrations in sediments and mullet (*Mugil cephalus*) from the southern basin of Lake Macquarie, NSW Australia. *Archives of environmental contamination and toxicology* 40(2): 246-256.

- Kirby-Smith, W. W. 1989. The community of small macroinvertebrates associated with rock outcrops on the continental shelf of North Carolina. NOAA-National Undersea Research Program Report. 89(2): 279-304.
- Kissil, G. W. 1974. Spawning of the anadromous alewife in Bride Lake, Connecticut. Transactions of the American Fisheries Society 103: 312-317.
- Klauda, R. J., Jr. S.A. Fischer, L.W. Hall, and J.A. Sullivan. 1991. Alewife and blueback herring: *Alosa pseudoharengus* and *Alosa aestivalis*. Habitat Requirements for Chesapeake Bay Living Resources, 10-1 - 10-29p.
- Kneib, R. T. 1997. The role of tidal marshes in the ecology of estuarine nekton. p. 163-220 in R.T. Kneib (ed.). Oceanography and Marine biology: an Annual Review. UCL Press, London, p. 35.
- Kneib, R. T. and S.L. Wagner. 1994. Nekton use of vegetated marsh habitats at different stages of tidal inundation. Marine Ecology Progress Series 106: 227-238.
- Knutson, P. L. 1977. Planting guidelines for marsh development and bank stabilization. US Army Corps of Engineering Research Center, Fort Belvoir, Va.
- Komatsu, T. and S.I. Murakami. 1994. Influence of a *Sargassum* forest on the spatial distribution of water flow. Fisheries Oceanography 3: 256-266.
- Krantz, G. E. and J.F. Chamberlin. 1978. Blue crab predation of cultchless oyster spat. Proceedings of the National Shellfisheries Association 68: 38-41.
- Kwon, Y. and C. Lee. 2001. Ecological risk assessment of sediment in wastewater discharging area by means of metal speciation. Microchemical Journal 70: 255-264.
- Lacorte, S., S.B. Lartiges, P. Garrigues, and D. Barcelo. 1995. Degradation of organophosphorus pesticides and their transformation products in estuarine waters. Environmental Science and Technology 29(2): 431-438.
- Laist, D. W. 1997. Impacts of marine debris: entanglement of marine life in marine debris, including a comprehensive list of species with entanglement and ingestion records. in J.M. Coe and D.B. Rogers (eds.). Marine debris: Sources, impacts and solutions. Springer-Verlag, 1997.
- Lalancette, L.-M. 1984. The effects of dredging on sediments, plankton, and fish in the Vauvert Area of Lake St. Jean, Quebec. Archive fur Hydrobiologie 99(4): 463-477.
- Lamers, L. P. M., G.E.T. Dolle, S.T.G. Van Den Berg, S.P.J. Van Delft, and J.G.M. Roelofs. 2001. Differential responses of freshwater wetland soils to sulphate pollution. Biogeochemistry 55: 87-102.
- Lamers, L. P. M., S.-J. Falla, E.M. Samborska, I A.R. van Dulken, G. van Hengstum, and J.G.M. Roelofs. 2002. Factors controlling the extent of eutrophication and toxicity in sulfate-polluted freshwater wetlands. Limnology and Oceanography 47(2): 585-593.
- Laney, R. W., D.J. Newcomb, and C.S. Manooch III. 1999. Impact assessment of proposed Corps of Engineers dredging associated with the Dare County beaches project upon fisheries resources. Appendix B. Draft Report. Northern Dare County Storm Damage Reduction Project, Dare County, North Carolina. Draft USFWS Coordination Report. 83 p.
- Lauritsen, D. and S. Moxley. 1983. Freshwater Asian clam *Corbicula fluminea* as a factor affecting nutrient cycling in the Chowan River, NC. Water Resources Research Institute of North Carolina, Raleigh, NC, Report No. 192, 60p.
- Laws, E. A., J. Hiraoka, M. Mura, B. Punu, T. Rust, S. Vink, and C. Yamamura. 1994. Impact of land runoff on water quality in a Hawaiian estuary. Marine Environmental Research 38: 225-241.
- Lee, D. L., T.A. Dillaha, and J.H. Sherrard. 1989. Modeling phosphorus in grass buffer strips. Journal of

- Environmental Engineering 115: 409-427.
- Legislative Research Commission. 2001. Coastal beach movement, beach renourishment, and storm mitigation. Report to the 2001 session of the 2001 General Assembly of North Carolina. State of North Carolina, Unpub. rep. 29 p.
- LeGrand, H. E. and S.P. Hall. 1999. Natural Heritage Program List of the Rare Animals of North Carolina. North Carolina Natural Heritage Program, Raleigh, NC.
- Lenihan, H. S. 1998. Physical-biological coupling on oyster reefs: how habitat structures individual performance. *Ecological Monographs* 79: 251-275.
- Lenihan, H. S., J.H. Grabowski, and G.W. Thayer. 1998. Recruitment to and utilization of oyster reef habitat by commercially valuable crabs and fishes: an experiment with economic analysis. National Marine Fisheries Service, Beaufort, NC, National Research Council Final Report Number 1-97.
- Lenihan, H. S. and F. Micheli. 2000. Biological effects of shellfish harvesting on oyster reefs: resolving a fishery conflict by ecological experimentation. *Fishery Bulletin* 98: 86-95.
- Lenihan, H. S., F. Micheli, S.W. Shelton, and C.H. Peterson. 1999. The influence of multiple environmental stressors on susceptibility to parasites: an experimental determination with oysters. *Limnology and Oceanography* 44: 910-924.
- Lenihan, H. S. and C.H. Peterson. 1998. How habitat degradation through fishery disturbance enhances impacts of hypoxia on oyster reefs. *Ecological Applications* 8(1): 128-140.
- Lenihan, H. S., C.H. Peterson, J.E. Byers, J.H. Grabowski, and G.W. Thayer. 2001. Cascading of habitat degradation: oyster reefs invaded by refugee fishes escaping stress. *Ecological Applications* 11(3): 764-782.
- Lerberg, S. B. and A.F. Holland. 2000. Responses of tidal creek macrobenthic communities to the effects of watershed development. *Estuaries* 23: 838-853.
- Levinton, J. S. 1982. *Marine ecology*. Prentice Hall, Englewood Cliffs, NJ, 526p.
- Lewis, V. P. and D.S. Peters. 1994. Diet of juvenile and adult Atlantic menhaden in estuarine and coastal habitats. *Transactions of the American Fisheries Society* 123: 803-810.
- Lindeman, K. C. 1997. Development of grunts and snappers of southeast Florida: Cross-shelf distributions and effects of beach management alternatives. Ph.D. Dissertation, Univ. of Miami, Miami, FL, 419 p.
- Lindeman, K. C. and D.B. Snyder. 1999. Nearshore hardbottom fishes of southeast Florida and effects of habitat burial caused by dredging. *Fisheries Bulletin*. 97: 508-525.
- Lindquist, D. G., I.E. Clavijo, L.B. Cahoon, S.K. Bolden, and S.W. Burk. 1989. Quantitative Diver Visual Surveys of Innershelf Natural and Artificial Reefs in Onslow Bay, NC: Preliminary results for 1988 and 1989. p. 219-227 in M.A. Lang and W.C. Jaap (eds). *Diving for Science...* 1989. American Academy of Underwater Sciences, Costa Mesa, Ca.
- Lindquist, D. G., L.B. Cahoon, I.E. Clavijo, M.H. Posey, S.K. Bolden, L.A. Pike, S.W. Burk, and P.A. Cardullo. 1994. Reef fish stomach contents and prey abundance on reef and sand substrata associated with adjacent artificial and natural reefs in Onslow Bay, North Carolina. *Bulletin of Marine Science* 55(2-3): 308-318.
- Lindquist, N. and L. Manning. 2001. Impacts of beach nourishment and beach scraping on critical habitat and productivity of surf fishes. NC Division of Marine Fisheries, Fisheries Resource Grant 98-EP-05: 41.
- Lippson, A. J. and R. Moran. 1974. Manual for identification of early development stages of fishes of the Potomac River estuary. Martin Marietta Corp., PPSP-MP-13 , 282p.

- Litaker, W., C.S. Duke, B.E. Kenney, and J. Ramus. 1987. Short-term environmental variability and phytoplankton abundance in a shallow tidal estuary. I. Winter and summer. *Marine Biology* 96(1): 115-121.
- Litaker, W., C.S. Duke, B.E. Kenney, and J. Ramus. 1993. Short term environmental variability and phytoplankton abundance in a shallow tidal estuary. II. Spring and fall. *Marine Ecology Progress Series* 94(2): 141-154.
- Livingston, R. J. 1975. Impact of Kraft pulp-mill effluent on estuarine and coastal fishes in Apalachee Bay, Florida, U.S.A. *Marine Biology* 32(1): 19-48.
- Livingstone, D. R. 2001. Contaminant-stimulated reactive oxygen species production and oxidative damage in aquatic organisms. *Marine Pollution Bulletin* 42(8): 656-666.
- Loesch, J. G. and W.H. Kriete Jr. 1984. Anadromous fisheries research program, 1980-83. Virginia Institute of Marine Science, Gloucester Point, VA.
- Loflin, R. K. 1995. The effects of docks on seagrass beds in the Charlotte Harbor estuary. *Florida Scientist* 58(2): 198-205.
- Loosanoff, V. L. 1953. Behavior of oysters in water of low salinity. *Proceedings of the National Shellfish Association* 1952: 135-151.
- Loosanoff, V. L. 1965. The American or Eastern oyster. U.S. Fish and Wildlife Service, Circular 205.
- Lowe, A. J., D.R.G. Farrow, A.S. Pait, S.J. Arenstam, and E.F. Lavan. 1991. Fish kills in coastal waters. National Oceanic and Atmospheric Administration, Rockville, MD, 190-1989p.
- Lowery, J. and K.T. Paynter. 2002. The importance of molluscan shell substrate. National Marine Fisheries Service, Unpub. rep. 17p.
- Lowrance, R. R. 1997. Water quality functions of riparian forest buffer systems in the Chesapeake Bay watershed. *Environmental Management* 21(5): 687-712.
- Lucas, L. V., J.R. Koseff, J.E. Cloern, S.G. Monismith, and J.K. Thompson. 1999. Processes governing phytoplankton blooms in estuaries. I: The local production-loss balance. *Marine Ecology Progress Series* 187: 1-15.
- Luce, C. 1995. Forest and wetlands. p. 253-283 *in* A.D. Ward and W.J. Elliot (eds.). *Environmental Hydrology*. CRC Press, Boca Raton, FL.
- Luckenbach, M. W. 1985. Biotic and hydrodynamic processes affecting the recruitment of a marine infaunal invertebrate. *Dissertation Abstracts Int. Pt. B.- Science and Engineering* 46(6): 119.
- Luczakovich, J. J., H.J. Daniel III, and M.W. Sprague . 1999. Characterization of critical spawning habitats of weakfish, spotted seatrout and red drum in Pamlico Sounds using hydrophone surveys. East Carolina University, Institute for Coastal and Marine Resources, Greenville, NC, Final Report and Annual Performance Report , 127p.
- Luetlich, R. A., J.E. McNinch, J.L. Pinckney, M.J. Alperin, C.S. Martens, H.W. Paerl, C.H. Peterson, and J.T. Wells. 1999. Neuse River estuary modeling and monitoring project, final report: Monitoring phase. Water Resources Research Institute, Raleigh, NC, 190p.
- MacIntyre, H. L., R.J. Geider, and D.C. Miller. 1996. Microphytobenthos: the ecological role of the "secret garden" of unvegetated, shallow-water marine habitats. I. Distribution, abundance, and primary production . *Estuaries* 19(2A): 186-201.
- MacIntyre, I. G. and O.H. Pilkey. 1969. Tropical reef corals: tolerance of low temperatures on the North Carolina continental shelf. *Science* 166: 374-375.
- MacKenzie, C. L. Jr. 1977. Development of an aquacultural program for rehabilitation of damaged oyster reefs in Mississippi. *Marine Fisheries Review* 39: 1-3.

- MacKenzie, C. L. Jr. 1982. Compatibility of invertebrate populations and commercial fishing for ocean quahog. *North American Journal of Fishery Management* 2: 270-275.
- Mackenzie, C. L. Jr. 1983. To increase oyster production in the northeastern United States. *Marine Fisheries Review* 45: 1-22.
- Mackin, J. G. 1951. Incidence of infection of oysters by *Dermocystidium marinum* in the Barataria Bay area of Louisiana. *Proceedings of the National Shellfish Association* 1951: 22-35 .
- MAFMC (Mid-Atlantic Fishery Management Council). 1998. Amendment 12 to the Summer Flounder, Scup, and Black Sea Bass Fishery Management Plan. Mid-Atlantic Fishery Management Council and the Atlantic States Marine Fisheries Commission, in cooperation with the National Marine Fisheries Service, the New England Fishery Management Council, and the South Atlantic Fishery Management Council, 398p.
- Maiolo, J. R. and P. Tschetter. 1981. Relating population growth to shellfish bed closures: a case study from North Carolina. *Coastal Zone Management Journal* 9(1): 1-18.
- Mallin, M. A. 2000. Impacts of industrial animal production on rivers and estuaries. *American Scientist* 88: 2-13.
- Mallin, M. A., J.M. Burkholder, L.B. Cahoon, and M.H. Posey. 2000a. North and South Carolina coasts. *Marine Pollution Bulletin* 41(1-6): 56-75.
- Mallin, M. A., J.M. Burkholder, M.R. McIver, G.C. Shank, H.B. Glasgow, B.W. Touchette, and J. Springer. 1997. Comparative effects of poultry and swine waste lagoon spills on the quality of receiving streamwaters. *Journal of Environmental Quality* 26: 1622-1631.
- Mallin, M. A., L.B. Cahoon, J.J. Manock, J.F. Merritt, M.H. Posey, T.D. Alphin, R.K. Sizemore, and K. Williams. 1996. Water quality in New Hanover County tidal creeks, 1995-1996. University of North Carolina Wilmington, Wilmington, NC.
- Mallin, M. A., L.B. Cahoon, J.J. Manock, J.F. Merritt, M.H. Posey, R.K. Sizemore, W.D. Webster, and T.D. Alphin. 1998. A four year environmental analysis of New Hanover County tidal creeks 1993-1997. Center for Marine Science Research, Wilmington, NC, 98-01 , 115p.
- Mallin, M. A., L.B. Cahoon, D.C. Parsons, and S.H. Ensign. 2001a. Effect of nitrogen and phosphorus loading on plankton in coastal plain blackwater rivers. *Journal of Freshwater Ecology* 16(3): 455-466.
- Mallin, M. A., L.B. Cahoon, M.H. Posey, L.A. Leonard, D.C. Parsons, V.L. Johnson, E.J. Wambach, T.D. Alphin, K.A. Nelson, and J.F. Merritt. 2002a. Environmental quality of Wilmington and New Hanover County watersheds, 2000-2001. Center for Marine Science, UNC-W, Wilmington, 102p.
- Mallin, M. A., S.H. Ensign, M.R. McIvor, G.C. Shank, and P.K. Fowler. 2001b. Demographic, landscape, and meteorological factors controlling the microbial pollution of coastal water. *Hydrobiologia* 460:185-193.
- Mallin, M., E. Esham, K. Williams, and J. Nearhoof. 1999a. Tidal stage variability of fecal coliform and chlorophyll a concentrations in coastal creeks. *Marine Pollution Bulletin* 38(5): 414-422.
- Mallin, M. A., M.H. Posey, T.E. Lankford, M.R. McIver, S.H. Ensign, T.D. Alphin, M.S. Williams, M.L. Moser, and J.F. Merritt. 2001c. Environmental assessment of the lower Cape Fear River system, 2000-2001. Center for Marine Science Research, UNC-W, Wilmington, NC, CMS Report No. 01-01, 139p.
- Mallin, M. A., M.H. Posey, M.R. McIver, D.C. Parsons, S.H. Ensign, and T.D. Alphin. 2002b. Impacts and recovery from multiple hurricanes in a Piedmont-Coastal Plain river system. *Bioscience* 52: 999-1010.
- Mallin, M. A., M.H. Posey, G.C. Shank, M.R. McIver, S.H. Ensign, and T.D. Alphin. 1999b. Hurricane

- effects on water quality and benthos in the Cape Fear watershed: natural and anthropogenic impacts. *Ecological Applications* 9(1): 350-362.
- Mallin, M. A. and T.L. Wheeler. 2000. Nutrient and fecal coliform discharge from coastal North Carolina golf courses. *Journal of Environmental Quality* 29: 979-986.
- Mallin, M. A., K.E. Williams, E.C. Esham, and R.P. Lowe. 2000b. Effect of human development on bacteriological water quality in coastal watersheds. *Ecological Applications* 10(4): 1047-1056.
- Malone, T. C., L.H. Crocker, S.E. Pike, and B.W. Wendler. 1988. Influences of river flow on the dynamics of phytoplankton production in a partially stratified estuary. *Marine Ecology Progress Series* 48: 235-249.
- Mann, R. and J. Harding. 1997. Trophic studies on constructed "restored" oyster reefs. Annual research report to the U.S. Environmental Protection Agency Chesapeake Bay Program. Living Resources Committee, Virginia Institute of Marine Science, Gloucester Point, VA.
- Manooch III, C. S. 1984. Fisherman's guide - fishes of the southeastern United States. North Carolina State Museum of Natural History, Raleigh, NC, 362p.
- Manooch III, C. S. and W.T. Hoggarth. 1983. Stomach contents and giant trematodes of the wahoo (*Acanthocybium solanderi*), collected along the South Atlantic and Gulf coasts of the United States. *Bulletin of Marine Science* 33: 227-238.
- Marburger, J. E., W.E. Johnson, T.S. Gross, D.R. Douglas, and J. Di. 2002. Residual organochlorine pesticides in soils and fish from wetland restoration areas in central Florida. *Wetlands* 22(4): 705-711.
- Marcus, J. M. and T.P. Stokes. 1985. Polynuclear aromatic hydrocarbons in oyster tissue around three coastal marinas. *Bulletin of Environmental Contamination and Toxicology* 35: 835-844.
- Marsh, G. A. and D.B. Turbeville. 1981. The environmental impact of beach nourishment: Two studies in southeastern Florida. *Shore and Beach* July: 40-44.
- Marshall, L. P. 1976. A biological and fisheries profile of spotted seatrout, *Cynoscion nebulosus*. NC Division of Marine Fisheries, Morehead City, NC, Completion report for project AFCS-10, 90p.
- Marshall, M. D. 1995. North Carolina oyster restoration and fishery management plan. North Carolina Division of Marine Fisheries and the North Carolina Blue Ribbon Advisory Council on Oysters, Morehead City, NC, 116p.
- Marshall, M. D., J.E. French, and S.W. Shelton. 1999. A history of oyster reef restoration in North Carolina. p. 107-116 in Luckenbach M.W., R. Mann, and J.A. Wesson (ed.). *Oyster Reef Restoration: A Synopsis and Synthesis of Approaches*. Virginia Institute of Marine Science Press, Gloucester Point, VA.
- Marshall, N. 1970. Food transfer through the lower trophic levels of the benthic environment. p. 52-66 in J.H. Steele (ed.). *Marine food chains*. University of California, Berkeley.
- Matheson, R. E. Jr., D.K. Camp, S.M. Sogard, and K.A. Bjorgo. 1999. Changes in seagrass-associated fish and crustacean communities on Florida Bay mud banks: the effects of recent ecosystem changes? *Estuaries* 22(2B): 534-551.
- Matoura, R. F. C. and E.M.C. Woodward. 1983. Conservative behavior of riverine dissolved organic carbon in the Severn estuary: chemical and geochemical implications. *Geochimica Cosmochimica Acta* 47: 1293-1309.
- Matson, E. A. and M.M. Brinson. 1985. Sulfate enrichments in estuarine waters of North Carolina. *Estuaries* 8: 279-289.
- Matson, E. A. and M.M. Brinson. 1990. Stable carbon isotopes and the C:N ratio in the estuaries of the

- Pamlico and Neuse rivers, North Carolina. *Limnology and Oceanography* 35: 1290-1300.
- McDougal, W. G., M.A. Sturtevant, and P.D. Komar. 1987. Laboratory and field investigations of the impact of shoreline stabilization structures on adjacent properties. *in* Krause, N. C. ed. Coastal Sediments '87. American Society of Civil Engineering, New York, NY.
- McIvor, C. C. and W.E. Odum. 1987. Marsh fish community structure: roles of geomorphology and salinity. Ph.D. dissertation, University of Virginia, Charlottesville, VA, 132 p.
- McLachlan, A., T. Erasmus, A.H. Dye, T. Wooldridge, G. Van der Horst, G. Rossouw, T.A. Lasiak, and L. McGwynne. 1981. Sand beach energetics: an ecosystem approach towards a high energy interface. *Estuarine, Coastal, and Shelf Science* 13: 11-25.
- McLachlan, A. 1996. Physical factors in benthic ecology: effects of changing sand particle size on beach fauna. *Marine Ecology Progress Series* 131: 205-217.
- McNinch, J. E. and J.T. Wells. 1992. Effectiveness of beach scraping as a method of erosion control. *Shore and Beach* 1: 13-20.
- Menhinick, E. F. 1991. The freshwater fishes of North Carolina. The Delmar Company, Charlotte, NC, 227p.
- Menzel, D. W. 1993. Ocean Processes: U.S. Southeast Continental Shelf. Office of Scientific and Technical Information, U.S. Department of Energy.
- Menzel, R. W. and S.H. Hopkins. 1955. Crabs as predators of oysters in Louisiana. *Proceedings of the National Shellfisheries Association* 45: 177-184.
- Mercer, L. P. 1984. A biological and fisheries profile of red drum, *Sciaenops ocellatus*. North Carolina Division of Marine Fisheries, Morehead City, NC, Special Scientific Report 41 .
- Meyer, C. E. 1982. Zooplankton communities in Chesapeake Bay seagrass systems. M.A. Thesis, College of William and Mary, Williamsburg, VA, 96 p.
- Meyer, D. L. 1994. Habitat partitioning between the Xanthid crabs *Panopeus herbstii* and *Eurypanopeus depressus* on intertidal oyster reefs (*Crassostrea virginica*) in southeastern North Carolina. *Estuaries* 17(3): 6674-679.
- Meyer, D. L. and E.C. Townsend. 2000. Faunal utilization of created intertidal eastern oyster reefs in the southeastern United States. *Estuaries* 23(1): 34-45.
- Meyer, D. L., E.C. Townsend, and P.L. Murphey. 1996. Final report for the project evaluation of restored wetlands and enhancement methods for existing restorations. National Oceanic and Atmospheric Administration, Office of Habitat Conservation Restoration Center, Silver Springs, MD.
- Micheli, F. M. and C. H. Peterson. 1999. Estuarine vegetated habitats as corridors for predator movement. *Conservation Biology* 13(4): 869-881.
- Milam, C. D., J.L. Farris, and J.D. Wilhide. 2000. Evaluating mosquito control pesticides for effect on target and nontarget organisms. *Archives of Environmental Contamination and Toxicology*. 39(.): 324-328.
- Miller, D. C. 1989. Abrasion effects on microbes in sandy sediments. *Marine Ecology Progress Series* 55: 73-82.
- Miller, D. C., R.J. Geider, and H.L. MacIntyre. 1996. Microphytobenthos: the ecological role of the "secret garden" of unvegetated, shallow-water marine habitats. II. Role in sediment stability and shallow-water food webs. *Estuaries* 19(2A): 202-212.
- Miller, G. C. and W.J. Richards. 1980. Reef fish habitat, faunal assemblages, and factors determining distributions in the South Atlantic Bight. *Proceedings of the U.N.F. and Caribbean Fisheries Institute*, Miami Beach, Fl 32: 114-130.

- Miller, J. M. 1992. Larval fish migration at Oregon Inlet, North Carolina. Supplemental Reports to the Department of the Interior Consultant's Report. US Dept. of the Interior. USFWS 8: 27.
- Miller, J. M., L.B. Crowder, and M.L. Moser. 1985. Migration and utilization of estuarine nurseries by juvenile fishes: an evolutionary perspective. p. 338-352 in M.A. Rankin (ed.). Migration: mechanisms and adaptive significance. Contributions to Marine Science (Supplement). 27.
- Miller, M. W. and M.E. Hay. 1996. Coral-seaweed-grazer-nutrient interactions on temperate reefs. Ecological Monographs 66(3): 323-344.
- Milliken, A. S. and V. Lee. 1990. Pollution impacts from recreational boating. NOAA Office of Sea Grant, 25p.
- Minello, T. J. 1999. Nekton densities in shallow estuarine habitats of Texas and Louisiana and the identification of Essential Fish Habitat. p. 43-75 in Benaka, L. R. ed. Fish Habitat: Essential Fish Habitat and Rehabilitation. American Fisheries Society, Bethesda, Maryland, 459.
- Minello, T. J., K.W. Able, M.P. Weinstein, and C.G. Hays. 2003. Salt marshes as nurseries for nekton: testing hypotheses on density, growth and survival through meta-analysis. Marine Ecology Progress Series 246: 39-59.
- Mitsch, W. J. and J.G. Gosselink. 1993. Wetlands, Second Edition. Van Nostrand Reinhold, New York, NY, Second Edition, 772p.
- MMS (Minerals Management Service). 1993. Sand and gravel maps of the Atlantic continental shelf with explanatory text. US Department of the Interior, No. 37, 35 p.
- Mock, C. R. 1966. Natural and altered estuarine habitats of penaeid shrimp. Proceedings Gulf Caribbean Fish Institute 19th Annual Session : 86-98.
- Moore, J. W. 1991. Inorganic contaminants of surface water, research and monitoring priorities. Springer-Verlag, New York, NY, Springer series on environmental management. 334p.
- Moore, J. W. and J.A. Moore. 1976. The basis of food selection in flounders, *Platichthys flesus* (L.) in Severn estuary. Journal of Fish Biology 9: 139-156.
- Moore, R. H. 1992. Low-salinity backbays and lagoons. p. 541-614 in C.T. Hackney, S. M. Adams and W. H. Martin eds. Biodiversity of the southeastern United States: aquatic communities. John Wiley and Sons, Inc., NY, 779 p.
- Moorhead, K. K. and M.M. Brinson. 1995. Response of wetlands to rising sea level in the lower coastal plain of North Carolina. 5(1): 261-271.
- Moser, M. L. and S.W. Ross. 1995. Habitat use and movements of shortnose and Atlantic sturgeons in the lower Cape Fear River, North Carolina. Transactions of the American Fisheries Society 124(2): 225-234.
- Moser, M. L. and B. L. Taylor. 1995. Hard bottom habitat in North Carolina state waters: a survey of available data. Final Report to NC Division of Coastal Management. Unpub. doc., 20p.
- Moser, M. L. and M.E. Terra. 1999. Low light as a possible impediment to river herring migration. Final Report to N.C. Department of Transportation, Raleigh, N.C., 112 p.
- MSC (Moratorium Steering Committee). 1996. Final report of the Moratorium Steering Committee to the Joint Legislative Commission on Seafood and Aquaculture of the North Carolina General Assembly. N.C. Sea Grant College Program, Raleigh, NC, NC-SG-96-11, 155p.
- Mudre, J. M., J.J. Ney, and R.J. Neves. 1985. An analysis of the impediments to spawning migrations of anadromous fish in Virginia rivers. Final Report. Virginia Highway Research Council, V.A. Department of Highways and Transportation, Charlottesville, Va.
- Mulholland, P. J. 1979. Organic carbon in a swamp-stream ecosystem and export by streams in eastern

- North Carolina. Ph.D. Dissertation, University of North Carolina, Chapel Hill, NC
- Mulholland, P. J. and E.J. Kuenzler. 1979. Organic carbon export from upland and forested wetland watersheds. *Limnology and Oceanography* 24: 960-966.
- Murphey, P. L. and M. S. Fonseca. 1995. Role of high and low energy seagrass beds as nursery areas for *Penaeus duorarum* in North Carolina. *Marine Ecology Progress Series* 121: 91-98.
- Nelson, D. M., M.E. Monaco, E.A. Irlandi, L.R. Settle, and L. Coston-Clements. 1991. Distribution and Abundance of Fishes and Invertebrates in Southeast Estuaries. NOAA/NOS Strategic Environmental Assessment Division, Silver Spring, MD, 167p.
- Nelson, R. W. and C.H. Walburg. 1977. Population dynamics of yellow perch (*Perca flavescens*), sauger (*Stizostedion canadense*) and walleye (*S. vitreum vitreum*) in four main stem Missouri River reservoirs. *Journal of the Fisheries Research Board of Canada* 34: 1748-1763.
- Nelson, T. C. 1938. The feeding mechanism of the oyster. I. On the pallium and branchial chambers of *Ostrea virginica*, *O. edulis*, and *O. angulata*, with comparisons with other species of the genus. *Journal of Morphology* 63: 1-61.
- Nelson, T. C. 1960. The feeding mechanism of the oyster. II. On the gills and palps of *Ostrea virginica*, *O. edulis*, and *O. angulata*, with comparisons with other species of the genus. *Journal of Morphology* 107: 163-203.
- Nero, L. 2001. Fiber optic cables: issues for marine habitat and fisheries. *Habitat Hotline Atlantic* 8(1): 1-2.
- Neves, R. J., A.E. Bogan, J.D. Williams, S.A. Ahlstedt, and P.W. Hartfield. 1997. Status of aquatic mollusks in the southeastern United States: a downward spiral of diversity. p. 43-85 in G.W. Benz, D. E. Collins eds. *Aquatic fauna in peril: the southeastern perspective*. Southeast Aquatic Research Institute, Decatur, GA, Special Publication 1, 554 p.
- Newell, R. I. E. 1988. Ecological changes in the Chesapeake Bay: are they the result of overharvesting the American oyster? p. 536-546 in M.P. Lynch and E.C. Krome (eds.). *Understanding the estuary: advances in Chesapeake Bay research*. Chesapeake Bay Research Consortium, Baltimore, MD, Publication 129.
- Newell, R. I. E., J.C. Cornwell, and M.S. Owens. 2002. Influence of simulated bivalve biodeposition and microphytobenthos on sediment nitrogen dynamics: a laboratory study. *Limnology and Oceanography*. 47(5): 1367-1379.
- Nixon, S. W., C.A. Oviatt, and S.L. Northby. 1973. Ecology of small boat marinas. University of Rhode Island, Kingston, RI, Mar. Tech. Rep. Ser. No. 5, 20p.
- NMFS (National Marine Fisheries Service). 1999. Our Living Oceans. Report on the status of US living marine resources, 1999. U.S. Dept. Commerce, Silver Springs, Md, NOAA Tech. Memo. NMFS-F/SPO-41.
- NMFS (National Marine Fisheries Service). 2002. Annual Report to Congress on the Status of U.S. Fisheries - 2001. NOAA, Silver Spring, MD, 142p.
- NMFS (National Marine Fisheries Service). 2003. Annual Report to Congress on the Status of U.S. Fisheries - 2002. NOAA, Silver Spring, MD, 156p.
- NOAA (National Oceanic and Atmospheric Administration). 1996. NOAA's estuarine eutrophication survey. Volume 1: South Atlantic Region. Office of Ocean Resources Conservation Assessment, Silver Spring, Md, 50p.
- NOAA (National Oceanic and Atmospheric Administration). 2001. Unpublished data - ELMR distribution and abundance and life history tables for estuarine fish and invertebrate species. NOAA/NOS Biogeography Program, Silver Springs, MD.

- Noble, E. 1996. Report to the oyster, clam, and scallop committee on Ward Creek field investigation by resource enhancement staff . DENR, DMF, Unpub. rep. 8p.
- Noble, E. B. and R.J. Monroe. 1991. Classification of Pamlico Sound Nursery Areas: Recommendations for Critical Habitat Criteria. North Carolina Department of Environment, Health, and Natural Resources, Morehead City, NC, A/P Project No. 89-09, 70 p.
- Noga, E. J., M.J. Dykstra, and J.F. Levine. 1989. Fish diseases of the Albemarle-Pamlico estuary. University of North Carolina Water Resources Research Institute, Report No. 238.
- North Carolina Coastal Futures Committee. 1994. Charting a Course for Our Coast. North Carolina Coastal Futures Committee, 101p.
- North Carolina Estuarine Shoreline Protection Stakeholders. 1999. Protecting North Carolina's Coastal Resources, A framework for maintaining and improving water quality. Unpub. rep.
- North Carolina Ocean Resources Task Force. 1995. Management and Stewardship of North Carolina's Coastal Ocean: Recommendations of the NC Ocean Resources Task Force. DCM, Unpub. rep. 25p.
- North Carolina Sea Grant. 1997. Coastal water quality. NC State University, Raleigh, NC, UNC-SG-97-04 , 72 p.
- North Carolina Sea Grant. 1999. Fishery Resource Grant Program (Aquaculture & Mariculture, Fisheries Equipment & Gear, Seafood Technology, Environmental Pilot Studies). North Carolina Sea Grant, Raleigh, NC.
- North Carolina Sea Grant. 2000. Aquatic nuisance species report: An update on Sea Grant research and outreach projects. Sea Grant, Raleigh, NC, 4p.
- NOS (National Ocean Service). 1990. Estuaries of the United States, vital statistics of a national resource base. NOAA, U.S. Department of Commerce, Rockville, Maryland, A Special NOAA 20th Anniversary Report .
- NRC (National Research Council). 1995. Beach nourishment and protection. National Academy Press, Washington, D.C., 334p.
- NRC (National Research Council). 2000. Clean coastal waters: Understanding and reducing the effects of nutrient pollution. Committee on the causes and management of eutrophication, ocean studies board, Water Science and Technology Board. National Academy Press, Washington, DC.
- NRC (National Research Council). 2002. Riparian areas: functions and strategies for management. National Academy Press, Washington, D.C., 436p.
- NRC (National Research Council). 2003. Non-native oysters in the Chesapeake Bay. The National Academic Press, Washington, DC.
- NRCS (Natural Resources Conservation Service). 2003. Restoring America's wetlands, Wetland Reserve Program. U.S. Department of Agriculture, Natural Resources Conservation Service, 8p.
- Nybakken, J. W. 1993. Marine Biology, an Ecological Approach. Harper Collins College Publishers, New York, NY, Third edition , 462p.
- O'Neill, J. T. 1980. Aspects of the life histories of anadromous alewife and the blueback herring, Margaree River and Lake Ainsle, Nova Scotia, 1978-1979. M.S. Thesis, Acadia University, Wolfville, Nova Scotia, Canada, 306 p.
- O'Rear, C. W. 1983. A study of river herring spawning and water quality in Chowan River. NC Department of Natural Resources and Community Development, DMF, Raleigh, NC, Complete Report, Project AFC-17 , 31p.
- Odum, E. P. 1959. Fundamentals of ecology. 2nd Edition. W. B. Saunders Co., Philadelphia, Pa, 546p.

- Odum, W. E., T.J. Smith, J.K. Hoover, and C.C. McIvor. 1984. The ecology of tidal freshwater marshes of the United States east coast: a community profile. US Fish and Wildlife Service, Washington, DC, FWS/OBS-83/17, 177p.
- Officer, C. B., T.J. Smayda, and R. Mann. 1982. Benthic filter feeding: a natural eutrophication control. *Marine Ecology Progress Series* 9: 203-210.
- Ojeda, G. Y., P.T. Gayes, A.L. Sapp, P.C. Jutte, and R.F. Van Dolah. 2001. Habitat mapping and sea bottom change detection on the shoreface and inner shelf adjacent to the Grand Strand beach nourishment project. Coastal Carolina University and SC DNR, Charleston, SC, 48p.
- Olsen, S., M.E.Q. Pilson, and J.N. Gearing. 1982. Ecological consequences of low sustained concentrations of petroleum hydrocarbons in temperate estuaries. Graduate School of Oceanography, University of Rhode Island, Narragansett, RI.
- Orlando, S. P. Jr., C. J. K. P.H. Wendt, M.E. Pattillo, K.C. Dennis, and G.H. Ward . 1994. Salinity characteristics of south Atlantic estuaries. National Oceanic and Atmospheric Administration, Office of Ocean Conservation and Assessment, Silver Springs, MD, 117p.
- Ortega, S., J.P. Sutherland, and C.H. Peterson. 1990. Environmental determination of oyster success in the Pamlico Sound. Albemarle-Pamlico Study, North Carolina Department of Environment, Health, and Natural Resources and United States Environmental Protection Agency, Report 90-08, 29p.
- Orth, D. J. and R.J. White. 1993. Stream habitat management . p. 205-228 *in* C.C. Kohler and W.A. Hubert (eds.). *Inland Fisheries Management in North America*. American Fisheries Society, Bethesda, MD, 594 p.
- Orth, R. J. 1975. Destruction of eelgrass, *Zostera marina*, by the cownose ray, *Rhinoptera bonasus*, in the Chesapeake Bay. *Chesapeake Science* 16(3): 205-208.
- Orth, R. J. 1992. A perspective on plant-animal interactions in seagrasses: physical and biological determinants influencing plant and animal abundance. p. 147-164 *in* D. M. John, S. J. Hawkins and J. H. Price eds. *Plant-Animal Interactions in the Marine Benthos*. Clarendon Press, Oxford, Systematic Special Volume No. 46, 570 p.
- Orth, R. J., J. Simons, J. Capelli, V. Carter, L. Hindman, S. Hodges, K. Moore, and N. Rybicki. 1986. Distribution of submerged aquatic vegetation in the Chesapeake Bay and tributaries - 1985. US EPA, Washington, DC, Final report.
- Osenberg, C., C. St. Mary, J. Wilson, and W. Lindberg. 2002. A quantitative framework to evaluate the attraction-production controversy. *ICES Journal of Marine Science* 59: 1-8.
- Overstreet, R. M. 1983. Aspects of the biology of the red drum, *Sciaenops ocellatus*. Gulf Research Report Supplement 1: 45-68.
- Owens, L. B., W.M. Edwards, and R.W. Van Keuren. 1996. Sediment losses from a pastured watershed before and after fencing. *Journal of Soil and Water Conservation* 51: 90-94.
- Paerl, H. W. 1982. Environmental factors promoting and regulating N₂ fixing blue-green algal blooms in the Chowan River. N. C. University of North Carolina, Water Resources Research Institute, Raleigh, NC, Report No. 176 , 65p.
- Paerl, H. W., J.D. Bales, L.W. Ausley, C.P. Buzzelli, L.B. Crowder, L.A. Eby, J.M. Fear, M. Go, B.L. Peierls, T.L. Richardson, and J.S. Ramus. 2001. Ecosystem impacts of three sequential hurricanes (Dennis, Floyd, and Irene) on the United States' largest lagoonal estuary, Pamlico Sound, NC. *Proceedings of the National Academy of Sciences, USA* 98(10): 5655-5660.
- Paerl, H. W., M.M. Mallin, C.A. Donahue, M. Go, and B.L. Peierls. 1995. Nitrogen loading sources and eutrophication of the Neuse River, North Carolina: direct and indirect roles of atmospheric deposition. UNC - Chapel Hill, Water Resources Research Institute, Chapel Hill, NC, Publication

291.

- Paerl, H. W., J. Pinckney, J. Fear, and B. Peierls. 1998. Ecosystem response to internal watershed organic matter loading: Consequences for hypoxia in the eutrophying Neuse River Estuary, North Carolina. *Marine Ecological Progress Series* 166: 17-25.
- Paerl, H. W. and D.R. Whitall. 1999. Anthropogenically derived atmospheric nitrogen deposition, marine eutrophication and harmful algal bloom expansion: Is there a link? *Ambio* 28(4): 307-311.
- Page, H. M. and M. Lastra. 2003. Diet of intertidal bivalves in the Ria de Arosa (NW Spain): evidence from stable C and N isotope analysis. *Marine Biology* 143: 519-532.
- Page, L. M. and B.M. Burr. 1991. A field guide to freshwater fishes of North America north of Mexico. Houghton Mifflin Company, Boston, USA, 432p.
- Paller, M. H. 1987. Distribution of larval fish between macrophyte beds and open channels in a southeastern floodplain swamp. *Journal of Freshwater Ecology* 4(2): 191-200.
- Palmer, M. A. 1988. Epibenthic predators and marine meiofauna: separating predation, disturbance, and hydrodynamic effects. *Ecology* 69: 1251-1259.
- Pantell, S. E. 1993. Potential environmental impacts/Coastal Act issues. *In: Seawater Desalination in California*. California Coastal Commission, San Francisco, Ca.
- Parker, R. O., D.R. Colby, and T.D. Willis. 1983. Estimated amount of reef habitat on a portion of the US South Atlantic and Gulf of Mexico continental shelf. *Bulletin of Marine Science* 33(4): 935-940.
- Parker, R. O. and R.L. Dixon. 1998. Changes in a North Carolina reef fish community after 15 years of intense fishing- global warming implications. *Transactions of the American Fisheries Society*. 127: 908-920.
- Pate, P. P. Jr. and R. Jones. 1981. Effects of upland drainage on estuarine nursery areas of Pamlico Sound, North Carolina. UNC Sea Grant , Raleigh, NC, Pub. No. UNC-SG-WP-10, 24p.
- Patrick, W. S. and M.L. Moser. 2001. Potential competition between hybrid striped bass (*Morone saxatilis* x *M. americana*) and striped bass (*M. saxatilis*) in the Cape Fear River Estuary, North Carolina. *Estuaries* 24(3): 425-429.
- Patriquin, D. G. 1975. Migration of blowouts in seagrass beds at Barbados and Carriacou West Indies and its ecological and geological applications. *Aquatic Botany* 1: 163-189.
- Pattilo, M. E., D. M. N. T.E. Czaplá, and M.E. Monaco. 1997. Distribution and Abundance of Fishes and Invertebrates in Gulf of Mexico Estuaries Volume II: Species Life History Summaries. NOAA/NOS Strategic Environmental Assessment Division, Silver Springs, MD, ELMR Rep. No. 11. 377p.
- Paynter, K. T. and E.M. Burreson. 1991. Effects of *Perkinsus marinus* infection in the eastern oyster, *Crassostrea virginica*: 2. Disease development and impact on growth rate at different salinities. *Journal of Shellfish Research* 10: 425-431.
- Peckol, P. and R.B. Searles. 1984. Temporal and spatial patterns of growth and survival of invertebrates and algal populations of a North Carolina continental shelf community. *Estuarine, Coastal and Shelf Science* 18: 133-143.
- Penhale, P. 1977. Macrophyte-epiphyte biomass and productivity in an eelgrass (*Zostera marina* L.) community. *Journal of Experimental Marine Biology and Ecology* 26: 211-224.
- Peters, D. S. and L.R. Settle. 1994. Larval fish abundance in vicinity of Beaufort Inlet prior to berm construction. NMFS data summary report of project funded by the US Army Corps of Engineers. NMFS, Beaufort, NC, 38 p.
- Peters, D. S., L.R. Settle, and J.D. Fuss. 1995. Larval fish abundance in the vicinity of Beaufort Inlet prior to berm construction. NMFS, Beaufort, NC, NMFS Progress Report, 20 p.

- Peterson, B. J. and R.W. Howarth. 1987. Sulfur, carbon, and nitrogen isotopes used to trace organic matter flow in the salt-marsh estuaries of Sapelo Island, Georgia. *Limnology and Oceanography* 32(6): 1195-1213.
- Peterson, C. H. 1982. Clam predation by whelks (*Busycon* spp.): experimental tests on the importance of prey size, prey density, and seagrass cover. *Marine Biology* 66(159-170).
- Peterson, C. H., J.H. Grabowski, and S.P. Powers. 2003a. Quantitative enhancement of fish production by oyster reef habitat: restoration valuation. *Marine Ecology Progress Series* 264: 249-264.
- Peterson, C. H., D.H.M. Hickerson, and G.G. Johnson. 2000b. Short-term consequences of nourishment and bulldozing on the dominant large invertebrates of a sandy beach. *Journal of Coastal Research* 16(2): 368-378.
- Peterson, C. H., W. Laney, and T. Rice. 2001. Biological impacts of beach nourishment. *In: Workshop on the Science of Beach Renourishment*, May 7-8, 2001. Pine Knoll Shores, NC.
- Peterson, C. H. and N.M. Peterson. 1979. The ecology of intertidal flats of North Carolina: A community profile. U.S. Fish and Wildlife Service, OBS-79/39, 73 p.
- Peterson, C. H., S.D. Rice, J.W. Short, D. Esler, and J.L. Bodkin. 2003b. Long-term ecosystem response to the Exxon Valdez oil spill. *Science* 302(5653): 2082-2086.
- Peterson, C. H., H.C. Summerson, and S.R. Fegley. 1983. Relative efficiency of two clam rakes and their contrasting effects on seagrass biomass. *Fisheries Bulletin* 81(2): 429-434.
- Peterson, C. H., H.C. Summerson, and S.R. Fegley. 1987. Ecological consequences of mechanical harvesting of clams. *Fisheries Bulletin* 85(2): 281-298.
- Peterson, C. H., H.C. Summerson, and J. Huber. 1995. Replenishment of hard clam stocks using hatchery seed: combined importance of bottom type, seed size, planting season, and density. *Journal of Shellfish Research* 14(2): 93-300.
- Peterson, C. H., H.C. Summerson, H.S. Lenihan, J. Grabowski, S.P. Powers, and Jr. G.W. Sarfit. 1999. Beaufort Inlet benthic resources survey. UNC-CH, Morehead City, NC, Final Report to the US Army Corps of Engineers. 18p.
- Peterson, C. H., H.C. Summerson, E. Thompson, H.S. Lenihan, J. Grabowski, L. Manning, F. Micheli, and G. Johnson. 2000a. Synthesis of linkages between benthic and fish communities as a key to protecting essential fish habitat. *Bulletin of Marine Science* 66(3): 759-774.
- Peterson, M. S., B.H. Comyns, J.R. Hendon, P.J. Bond, and G.A. Duff. 2000c. Habitat use by early life-stages of fishes and crustaceans along a changing estuarine landscape: difference between natural and altered shoreline sites. *Wetland, Ecology, and Management* 8(2-3): 209-219.
- Pickering, H. and D. Whitmarsh. 1996. Artificial reefs and fisheries exploitation: a review of the 'attraction versus production' debate, the influence of design, and its significance for policy. University of Portsmouth, United Kingdom, Centre for the Economics and Management of Aquatic Resources (CEMARE) Research Paper 107, 27p.
- Pietrafesa, L. J. 1989. The Gulf Stream and wind events on the Carolina Capes shelf. NOAA- National Undersea Research Program Report 2: 89-128.
- Pietrafesa, P. J. and G.S. Janowitz. 1988. Physical oceanographic processes affecting larval transport around and through North Carolina inlets. *American Fishery Society Symposium* 3: 34-50.
- Pietrafesa, L. J., G.S. Janowitz, J.M. Miller, E.B. Noble, S.W. Ross, and S.P. Epperly. 1986. Abiotic factors influencing the spatial and temporal variability of juvenile fish in Pamlico Sound, North Carolina. p. 341-453 *in* D.A. Wolfe (ed.). *Estuarine variability*. Academic Press, New York, NY.
- Pihl, L. S., P. Baden, and R.J. Diaz. 1991. Effects of periodic hypoxia on distribution of demersal fish

- and crustaceans. *Marine Biology* 108: 349-360.
- Pilkey, O. H. and H.L. Wright. 1989. Seawalls versus beaches. p. 41-67 in Krauss, N. C. and Pilkey, O. H. eds. *The effects of seawalls on beaches*. SI (4).
- Pilkey, O. H., W.J. Neal, S.R. Riggs, C.A. Webb, D.M. Bush, D.F. Pilkey, J. Bullock, and B.A. Cowan. 1998. *The North Carolina shore and its barrier islands: restless ribbons of sand*. Duke University Press, Durham and London, 318p.
- Pinckney, J. and R.G. Zingmark. 1993. Modeling the annual production of intertidal benthic microalgae in estuarine ecosystems. *Journal of Phycology* 29(4): 396-407.
- Ploskey, G. R. 1986. Effects of water-level changes on reservoir ecosystems with implications for fisheries management . p. 86-97 in Hall and Van Den Avyle (eds.). *Reservoir fisheries management: strategies for the 80's*. American Fisheries Society, Bethesda, Maryland.
- Poe, A., S. Thompson, M. Piehler, and H. Paerl. 2002. Effectiveness of a constructed wetland at removing nitrogen from agricultural runoff in the Neuse River estuary watershed. Water Resources Research Institute, UNC - Chapel Hill, Chapel Hill, NC, Setting the agenda for Water Resources Research, Abstracts of presentations and posters at the Annual North Carolina Water Resources Research Conference.
- Posey, M. H. and T.D. Alphin. 2001. Monitoring of benthic faunal responses to sediment removal associated with the Carolina Beach and vicinity - area south project. UNC-Wilmington, Wilmington, NC, Final Report to the US Army Corps of Engineers, 18 p.
- Posey, M. H. and T.D. Alphin. 2002. Resilience and stability in an offshore benthic community: responses to sediment borrow activities and hurricane disturbance. *Journal of Coastal Research* 18(4): 685-697.
- Posey, M. H., T.D. Alphin, C.M. Powell, and E. Townsend. 1999. Use of oyster reefs as habitat for epibenthic fish and decapods. p. 229-238 in M.W. Luckenbach, R. Mann and J. A. Wesson eds. *Oyster Reef Habitat Restoration: A Synopsis and Synthesis of Approaches*. Virginia Institute of Marine Science Press, Gloucester Point, VA.
- Posey, M. H. and W.G. Ambrose Jr. 1994. Effects of proximity to an offshore hard-bottom reef on infaunal abundances. *Marine Biology* 118(4): 745-753.
- Posey, M. H., C. Powell, L. Cahoon, and D. Lindquist. 1995. Top down vs. bottom up control of benthic community composition on an intertidal tideflat. *Journal of Experimental Marine Biology and Ecology* . 185(1): 19-31.
- Potts, T. A. and A.W. Hulbert. 1994. Structural influences of artificial and natural habitats on fish aggregations in Onslow Bay, North Carolina. *Bulletin of Marine Science* 55(2-3): 609-622.
- Powell, A. B. and R.E. Robbins. 1998. Ichthyoplankton adjacent to live-bottom habitats in Onslow Bay, North Carolina. NOAA , Seattle, Washington, Tech. Rep. NMFS 133 , 32p.
- Powell, A. B. and R.J. Schwartz. 1977. Distribution of paralichthid flounders (Bothidae: *Paralichthys*) in North Carolina estuaries. *Chesapeake Science* 18: 334-339.
- Power, M. E., A. Sun, G.Parker, W.E. Dietrich, and J.T. Wootton. 1995. Hydraulic food-chain model. *Bioscience* 45(3): 159-167.
- Powers, E. R., R.A. Crowson, S.R. Riggs, S.W. Snyder, S.W. Snyder, and A.C. Hine. 1990. Chemical characteristics and reevaluation of the phosphate resource potential in Onslow Bay, North Carolina Continental Shelf. *Marine Mining* 9: 1-41.
- Powers, S. P. and J.N. Kittinger. 2002. Hydrodynamic mediation of predator-prey interactions: differential patterns of prey susceptibility and predator success explained by variation in water flow. *Journal of Experimental Marine Biology and Ecology* 273: 171-187.

- Prescott, R. C. 1990. Sources of predatory mortality in the bay scallop *Argopecten irradians* (Lamarck): interactions with seagrass and epibiotic coverage. *Journal of Experimental Marine Biology and Ecology*. 144(1): 63-83.
- Preyer, L. R. 1994. Charting a course for our coast - A report to the governor. North Carolina Coastal Futures Committee, Raleigh, NC, 106 p.
- Pulich, W. M. Jr. and W.A. White. 1991. Decline of submerged vegetation in the Galveston Bay system: Chronology and relationships to physical processes. *Journal of Coastal Research* 7: 1125-1138.
- Purvis, C. 1976. Nursery area survey of northern Pamlico Sound and tributaries. NC Division of Marine Fisheries, Morehead City, NC, Completion report for Project 2-239-R .
- Rakocinski, C. F., R.W. Heard, S.E. LeCroy, J.A. McLelland, and T. Simons. 1996. Responses by macrobenthic assemblages to extensive beach restoration at Perdido Key, Florida, USA. *Journal of Coastal Research* 12(1): 326-353.
- Rakocinski, C., S.E. LeCroy, J.A. McLelland, and R.W. Heard. 1993. Responses by macroinvertebrate communities to beach renourishment at Perdido Key, Florida: benthic recovery. US Dept. of the Interior, National Park Service.
- Ray, S. M. 1954. Biological studies of *Dermocystidium marinum* , a fungus parasite of oysters. Rice Institute Pamphlet Special Issue November.
- Reagan, R. E. 1985. Species Profiles: life histories and environmental requirements of coastal fishes and invertebrates (Gulf of Mexico) - red drum. US Fish and Wildlife Service, Washington, DC, Biological Report 82 (11.36), 16p.
- Reagan, R. E. Jr. and W.M. Wingo. 1985. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (Gulf of Mexico)--southern flounder. US Fish and Wildlife Service, 82 (11.30) , 9p.
- Reed, A. J. and J.T. Wells. 2000. Sediment distribution patterns offshore of a renourished beach: Atlantic Beach and Fort Macon, North Carolina. *Journal of Coastal Research*. 16(1): 88-98.
- Reed, J. P., J.M. Miller, D.F. Pence, and B. Schaich. 1983. The effects of low level turbidity on fish and their habitat. Department of Zoology, North Carolina State University, Raleigh, NC, Report No. 190 .
- Reilly, F. J. Jr. and B.J. Bellis. 1983. The ecological impact of beach nourishment with dredged materials on the intertidal zone at Bogue Banks, North Carolina. U.S. Army Corps of Engineers, Coastal Engineering Research Center, Fort Belvoir, VA.
- Reilly, J. D. and W.W. Kirby-Smith. 1999. Development of the technical basis and a management strategy for reopening a closed shellfishing area. Water Resources Research Institute, University of North Carolina , Chapel Hill, NC, UNC-WRRI-99-321 , 46 p.
- Rheinhardt, R. D. and M.M. Brinson. 2002. An evaluation of North Carolina Department of Transportation wetland mitigation sites: selected case studies. U.S. Department of Transportation, Research and Special Programs Administration, Washington, DC, Report No. FHWA/NC/2002-009.
- Rice, S. D., R.E. Thomas, G. Carls, R.A. Heintz, A.C. Wertheimer, M.L. Murphy, J.W. Short, and A. Moles. 2001. Impacts to pink salmon following the Exxon Valdez oil spill: persistence, toxicity, sensitivity, and controversy. *Reviews in Fisheries Science* 9(3): 165-211.
- Rice, T. M., R.L. Beavers, and S.W. Snyder. 1998. Preliminary Geologic Framework of the Inner Continental Shelf Offshore Duck, North Carolina. *Journal of Coastal Research* . 26: 219-225.
- Richards, W. R. and P.C. Ticco. 2002. The Suminoe oyster, *Crassostrea ariakensis*. Virginia Sea Grant/University of Virginia - Charlottesville, Charlottesville, VA, VSG-02-23, 6p.
- Richkus, W. A. 1975. Migratory behavior and growth of juvenile anadromous alewives in a Rhode Island

- drainage. *Transactions of the American Fisheries Society* 104: 483-493.
- Ricklefs, R. E. 1993. *The economy of nature*. W.H. Freeman and Company, New York, NY, 3rd edition .
- Riedel, G.F., J.G. Sanders, and D.L. Breitburg. 2003. Seasonal variability in response of estuarine phytoplankton communities to stress: linkages between toxic trace elements and nutrient enrichment. *Estuaries* 26(2A): 323-338.
- Riggs, S. R. 1996. Sediment evolution and habitat function of organic-rich muds within the Albemarle estuarine system, North Carolina. *Estuaries* 19(2A): 169-185.
- Riggs, S. R. 2000. Were human impacts upon the riverine systems of coastal North Carolina significant factors in the flood of September 1999? Abstracts from the Annual North Carolina Water Resources research Conference: The Year of the Hurricanes: p 22.
- Riggs, S. R. 2001. Shoreline erosion in North Carolina estuaries. UNC-Sea Grant, Raleigh, NC, 01-11, 68p.
- Riggs, S. R., W.G. Ambrose, Jr., J.W. Cook, S.W. Snyder, and S. Snyder. 1998. Sediment production on sediment-starved continental margins: the inter-relationships between hardbottoms, sedimentologic and benthic community processes, and storm dynamics. *Journal of Sedimentary Research*. 68(1): 155-168.
- Riggs, S. R. and D.V. Ames. 2003. Drowning the North Carolina coast: sea level rise and estuarine dynamics. North Carolina Sea Grant, Raleigh, NC, 152p.
- Riggs, S. R., J.T. Bray, E.R. Powers, C. Hamilton, D. Ames, D. Yeates, K. Owens, S. Lucas, J. Watson, and M. Williamson. 1991. Heavy metal pollutants in organic-rich muds of the Neuse River Estuary: their concentration and distribution. Albemarle-Pamlico Estuarine Study Report. Project no. 90-07. DENR, Raleigh, 168p.
- Riggs, S. R., W.J. Cleary, and S.W. Snyder. 1995. Influence of inherited geologic framework on barrier shoreface morphology and dynamics. *Marine Geology* 126: 213-234.
- Riggs, S. R. and F.T. Manheim. 1988. Mineral resources of the US Atlantic continental margin. p. 501-520 *in* Sheridan, R. E. and J.A. Grow (eds.). *The Geology of North America, Vol. I-2, The Atlantic Continental Margin*: US. Geological Society of America.
- Riggs, S. R., M.P. O'Connor, and V.J. Bellis. 1978. Estuarine shoreline types and erosion in the Albemarle Sound system. UNC Sea Grant College, Raleigh, NC, Five part poster series.
- Riggs, S. R., E.R. Powers, J. T. Bray, P.M. Stout, C. Hamilton, D. Ames, R. Moore, J. Watson , S. Lucas, and M. Williamson. 1989. Heavy metal pollutants in organic rich muds of the Pamlico River estuarine system: their concentration, distribution, and effects upon benthic environments and water quality: Albemarle-Pamlico Estuarine Study. Project No. 89-06. US EPA and NC DNRCD, Raleigh, NC, 108p.
- Riggs, S. R., S.W. Snyder, A.C. Hine, and D.L. Mearns. 1996. Hardbottom morphology and relationship to the geologic framework: mid-Atlantic continental shelf. *Journal of Sedimentary Research* . 66(4): 830-846.
- Rilov, G. and Y. Benayahu. 2000. Fish assemblage on natural versus artificial reefs: the rehabilitation perspective. *Marine Biology* 136: 931-942.
- Ritchie, J. C. 1972. Sediment, fish, and fish habitat. *Journal of Soil Water Conservation* 27: 124-125.
- Rizzo, W. M. and R.L. Wetzel. 1985. Studies on the scales of temporal variability in the oxygen metabolism of a shoal sediment in a temperate estuary. *Estuaries* 8(2B): 70a.
- Roberts, C. M., J.A. Bohnsack, F. Gell, J.P. Hawkins, and R. Goodridge. 2001. Effects of marine reserves on adjacent fisheries. *Science* 294: 1920-1923.

- Robins, C. R. and G.C. Ray. 1986. A field guide to Atlantic coast fisheries of North America. Houghton Mifflin Company, Boston, USA, 354p.
- Roblee, M. B. and W.J. DiDomenico. 1992. Seagrass die-off in Florida Bay, Everglades National Park. *Park Science* 11: 21-23.
- Roessler, T. S. 1998. Effects of offshore geology and the Morehead City Harbor Project on eastern Bogue Banks, NC. M.S. Thesis, University of North Carolina, Chapel Hill, NC
- Rogers, S. and T. Skrabal. 2002. Managing erosion on estuarine shorelines. North Carolina Division of Coastal Management and North Carolina Sea Grant, ., The Soundfront Series , 32p.
- Rooker, J. R., G.J. Holt, and S.A. Holt. 1998. Vulnerability of newly settled red drum (*Sciaenops ocellatus*) to predatory fish: is early-life survival enhanced by seagrass meadows? *Marine Biology* 131(1): 145-151.
- Rose, C., W. Sharp, W. Kenworthy, J. Hunt, W. Lyons, E. Prager, J. Valentine, M. Hall, P. Whitfield, and J. Fourqurean. 1999. Overgrazing of a large seagrass bed by the sea urchin *Lytechinus variegatus* in Outer Florida Bay. *Marine Ecology Progress Series* 190: 211-222.
- Ross, J. L. and T.M. Stevens. 1992. Life history and population dynamics of red drum (*Sciaenops ocellatus*) in North Carolina waters. NC Division of Marine Fisheries, Morehead City, NC, Marine Fisheries Research Completion Report Project F-29, 130p.
- Ross, S. W. 2003. The relative value of different estuarine nursery areas in North Carolina for transient juvenile marine fishes. *Fishery Bulletin* 101: 384-404.
- Ross, S. W. and S.P. Epperly. 1985. Chapter 10: Utilization of shallow estuarine nursery areas by fishes in Pamlico Sound and adjacent tributaries, North Carolina. p. 207-232 in A. Yanez-Aranciba (ed.). *Fish Community Ecology in Estuaries and Coastal Lagoons: Towards and Ecosystem Integration*. DR (R) UNAM Press, Mexico, 654 p.
- Ross, S. W. and J.E. Lancaster. 1996. Movements of juvenile fishes using surf zone nursery habitats and the relationship of movements to beach nourishment along a North Carolina beach: pilot project. North Carolina National Estuarine Research Reserve, Wilmington, NC, Final report submitted to NOAA Office of Coastal Resource Management and the US Army Corps of Engineers , 31 p.
- Ross, S. W. and M.L. Moser. 1995. Life history of juvenile gag, *Mycteroperca microlepis*, in North Carolina estuaries. *Bulletin of Marine Science* 56(1): 222-237.
- Ross, S. W., F.C. Rohde, and D.G. Lindquist. 1988. Endangered, threatened, and rare fauna of North Carolina: a re-evaluation of marine fisheries. *Occasional Papers of the NC Biological Survey* 1988-7(20).
- Rothschild, B. J., J.S. Ault, P. Gouletquer, and M. Heral. 1994. Decline of the Chesapeake Bay oyster population: A century of habitat destruction and overfishing. *Marine Ecology Progressive Series* 111: 29-39.
- Rozas, L. P. 1987. Submerged plant beds and tidal freshwater marshes: nekton community structure and interactions. Ph.D. dissertation, University of Virginia, Charlottesville, VA, 144 p.
- Rozas, L. P. 1992. Comparison of nekton habitats associated with pipeline canals and natural channels in Louisiana salt marshes. *Wetlands* 12(2): 136-146.
- Rozas, L. P. and C.T. Hackney. 1984. Use of oligohaline marshes by fishes and macrofaunal crustaceans in North Carolina. *Estuaries* 7(3): 213-224.
- Rozas, L. P. and W.E. Odum. 1987. The role of submerged aquatic vegetation in influencing the abundance of nekton on contiguous tidal freshwater marshes. *Journal of Experimental Marine biology and Ecology* 114(2-3): 289-300.

- Rozas, L. P. and R.J. Zimmerman. 2000. Small-scale patterns of nekton use among marsh and adjacent shallow nonvegetated areas of the Galveston bay estuary, Texas (USA). *Marine Ecology Progress Series*. 193(.): 217-239.
- Rubin, C., M.A. McGeehin, A.K. Holmes, L. Backer, G. Bureson, M.C. Earley, D. Griffith, R. Levine, W. Litaker, J. Mei, L. Naeher, L. Needham, E. Noga, M. Poli, and H.S. Rogers. 2001. Emerging areas of research reported during the CDC national conference on *Pfiesteria*: from biology to public health. *Environmental Health Perspectives* 109(5): 633-637.
- Rulifson, R. A., M.T. Huish, and R.W. Thosen. 1982. Anadromous fish in the southeastern United States and recommendations for development of a management plan. USFWS, Fisheries Resource Program, Atlanta, Ga.
- Rulifson, R. A., D.W. Stanley, and J.E. Cooper. 1986. Food and feeding of young striped bass in Roanoke River and Western Albemarle Sound, North Carolina, 1984-1985. DENR, Raleigh, NC, ICMR Tech. Rep. 86-02, 129p.
- Rulifson, R. A. and B.L. Wall. 1998. Fish passage through water control structures at Mattamuskeet National Wildlife Refuge, North Carolina, using flap gates and fish slots. East Carolina University, Institute of Coastal and Marine Resources, Greenville, NC, 7p.
- Sadzinski, R., M. Naylor, D. Weinrich, J.H. Uphoff, H. Speir, and D. Goshorn. 1996. Effects of Haul Seining on Submerged Aquatic Vegetation in Upper Chesapeake Bay. Maryland Department of Natural Resources, Annapolis, Maryland.
- SAFMC (South Atlantic Fisheries Management Council). 1998a. Final habitat plan for the South Atlantic region: Essential Fish Habitat requirements for fishery management plans of the South Atlantic Fishery Management Council. SAFMC, Charleston, SC.
- SAFMC (South Atlantic Fishery Management Council). 1998b. Final Amendment 9 to the fishery management plan for the snapper grouper fishery of the South Atlantic region. SAFMC, Charleston, SC, 246 p.
- SAFMC (South Atlantic Fishery Management Council). 2001. Magnuson-Stevens Act/NEPA scoping document: using marine protected areas in the South Atlantic. South Atlantic Fishery Management Council.
- Sagasti, A. S., L.C. Schaffner, and J.E. Duffy. 2001. Effects of periodic hypoxia on mortality, feeding and predation in an estuarine epifaunal community. *Journal of Experimental Marine Biology and Ecology* 258: 257-283.
- Saloman, C. H. 1974. Physical, chemical, and biological characteristics of nearshore zone of Sand Key, Florida, prior to beach restoration. Vols I and II. National Marine Fisheries Service, Gulf Coast Fisheries Center, Panama City, Fl.
- Saloman, C. H., S. Naughton, and J. Taylor. 1982. Benthic community response to dredging borrow pits, Panama City Beach, Florida. US Army Corps of Engineers, Coastal Engineering Research Center, Fort Belvoir, Va, Misc. Rep. No. 82-3.
- Sandifer, P. A., J.V. Miglarese, D.R. Calder, J.J. Manzi, and L.A. Barclay (eds.). 1980. Ecological characterization of the sea island coastal region of South Carolina and Georgia, Vol. III. biological features of the Characterization area. US Fish and Wildlife Service Biological Services Program, Washington, DC, FWS/OBS - 79/42, 620p.
- Sanger, D. M. and A.F. Holland. 2002. Evaluation of the impacts of dock structures on South Carolina estuarine environments. SC Department of Natural Resources, Marine Resources Research Institute, Charleston, SC, Tech. Rep. No. 99, 82p.
- Sargent, F. J., T.J. Leary, D.W. Crewz, and C.R. Kruer. 1995. Scarring of Florida's seagrasses: Assessment and management options. Florida Department of Environmental Protection, St.

- Petersburg, Fl, FMRI Technical Report TR-1, 46p.
- Saunders, D. A., R.J. Hobbs, and C.R. Margules. 1991. Biological consequences of ecosystem fragmentation: a review. *Conservation Biology* 5(1): 18-32.
- Savino, J. F. and R.A. Stein. 1989. Behavior of fish predators and their prey: habitat choice between open water and dense vegetation. *Environmental Biology of Fishes* 24(4): 287-293.
- SC DHEC (South Carolina Department of Health and Environmental Control. 1987. Heavy metals and extractable organic chemicals from the Coastal Toxics Monitoring Network 1984 - 1986. SC DHEC, Tech. Rep. No. 007-87.
- SCC (Sedimentation Control Commission). 1999. NC Sedimentation Control Commission inspects wetlands ditching in Wilmington region. *Sediments, Newsletter of the NC Sedimentation Control Commission* 6(2): 1-3.
- SCC (Sedimentation Control Commission). 2003. Water quality and land quality report on efforts to address turbidity. *Sediments, Newsletter of the NC Sedimentation Control Commission* 10(3): 1-3.
- Schneider, C. W. 1976. Spatial and temporal distributions of benthic marine algae on the continental shelf of the Carolinas. *Bulletin of Marine Science* 26(2): 133-151.
- Schoof, R. 1980. Environmental impact of channel modification. *Water Resources Bulletin* 16(4): 697-701.
- Schueler, T. R. 1994. The importance of imperviousness. *Watershed Protection Techniques* 1(3): 100-111.
- Schueler, T. R. 1997. Impact of suspended and deposited sediment. *Watershed Protection Techniques* 2(3): 443-444.
- Schueler, T. R. 1999. Microbes and urban watersheds- implications for watershed managers. *Watershed Protection Techniques* 3(1): 549-620.
- Schultz, S. L. W., E.L. Steinkoenig, and B.L. Brown. 2001. Ploidy of feral grass carp in the Chesapeake Bay watershed. *North American Journal of Fisheries Management* in press.
- SEAMAP-SA (Southeast Area Monitoring and Assessment Program). 2001. South Atlantic Bight Hard Bottom Mapping. SEAMAP South Atlantic Bottom Mapping Workgroup, Charleston, South Carolina, 166p.
- Seliger, H. H., J.A. Boggs, and W.H. Biggley . 1985. Catastrophic anoxia in the Chesapeake Bay in 1984. *Science* 228: 70-73.
- Sellner, K. G. and R.G. Zingmark. 1976. Interpretations of the ¹⁴C method of measuring the total annual production of phytoplankton in a South Carolina estuary. *Botanica Marina* 19: 119-125.
- Serafy, J. E., K.C. Lindeman, T.E. Hopkins, and J.S. Ault. 1997. Effects of freshwater canal discharge on fish assemblages in a subtropical bay: field and laboratory observation. *Marine Ecology Progress Series* 160: 161-172.
- Shafer, D. J. 1999. The effects of dock shading on the seagrass *Halodule wrightii* in Perdido Bay, Alabama. *Estuaries* 22(4): 936-943.
- Sheehan, R. J. and J.L. Rasmussen. 1993. Large Rivers. p. 445-468 in C.C. Kohler and W.A. Hubert (eds.). *Inland Fisheries Management in North America*. American Fisheries Society, Bethesda, MD.
- Sholar, T. M. 1975. Anadromous fisheries survey of the New and White Oak River systems. NC DMF, Morehead City, NC, Compl. Rep. Proj. AFC-9, 49p.
- Sholar, T. M. 1977. Anadromous Fisheries Research Program, Cape Fear River System, Phase I. North Carolina Division of Marine Fisheries, Rep #AFCS-12.

- Short, F. T., L.K. Muehlstein, and D. Porter . 1987. Eelgrass wasting disease: cause and recurrence of a marine epidemic. *Biological Bulletin* 173: 557-562.
- Shull, L. N. I. 1999. An accuracy assessment of GIS wetland mapping in the coastal counties of North Carolina. North Carolina Department of Environment and Natural Resources, Division of Coastal Management, ., 41p.
- Sigels, A. C., T.C. Hoering, and G.R. Helz. 1982. Composition of estuarine colloidal material: organic components. *Geochimica Cosmochimica Acta* 46: 1619-1626.
- Silliman, B. R. and M.D. Bertness. 2002. A trophic cascade regulates salt marsh primary production. *Proceedings of the National Academy of Science* 99(16): 10500-10505.
- Skilleter, G. A. 1994. Refuges from predation and the persistence of estuarine clam populations. *Marine Ecology Progress Series* 109(1): 29-42.
- Smith, K. 1998. A summary of limited vessel entry zones for managed seagrass protection in Florida. Florida Department of Environmental Protection, St. Petersburg, FL, 30p.
- Smith, S. V., W.J. Kimmerer, E.A. Laws, R.E. Brock, and T.W. Walsh. 1981. Kanehoe Bay sewage diversion experiment: perspectives on ecosystem responses to nutritional perturbation. *Pacific Science* 35: 278-396.
- Smock, L. A. and E. Gilinsky. 1992. Coastal plain blackwater streams. p. 271-313 *in* C.T. Hackney, S. M. Adams and W. H. Martin eds. *Biodiversity of the southeastern United States: aquatic communities*. John Wiley and Sons, Inc., New York, NY, 779 p.
- Snodgrass, J. W., Jr. A.L. Bryan, R.F. Lide, and G.M. Smith. 1996. Factors affecting the occurrence and structure of fish assemblages in isolated wetlands of the upper coastal plain, U.S.A. *Canadian Journal of Fisheries and Aquatic Sciences*. 53: 443-454.
- Sobsey, M. D. 1996. Pathogens and their indicators in North Carolina surface waters. p. 6-10 *in* NCSU (ed.). *Solutions: Proceedings of a Technical Conference on Water Quality*. 19-21 March 1996. NCSU, Raleigh.
- Sparks, A. K., J.L. Boswell, and J.G. Mackin . 1958. Studies on the comparative utilization of oxygen by living and dead oysters . *Proceedings of the National Shellfisheries Association* 48: 92-102.
- Spruill, T. B., D.A. Harned, P.M. Ruhl, J.L. Eimers, G. McMahon, K.E. Smith, D.R. Galeone, and M.D. Woodside. 1998. Water quality in the Albemarle-Pamlico Drainage Basin, North Carolina and Virginia, 1992-1995. U.S. Geological Survey Circular 1157.
- Stanley, D. and S. Nixon. 1992. Stratification and bottom-water hypoxia in the Pamlico River Estuary. *Estuaries* 15(2): 270-281.
- Steel, J. 1991. Albemarle-Pamlico Estuarine System, Technical Analysis of Status and Trends . DENR , Raleigh, NC, APES Report No. 90-01.
- Steimle, F. W., C.A. Zetlin, P.L. Berrien, and S. Chang. 1999. Black sea bass, *Centropristis striata*, life history and habitat characteristics. NOAA, Northeast Fisheries Science Center, Woods Hole, Mass, NMFS-NE-143, 42p.
- Stein, G. 1984. Port's expensive seagrass program fails to take root. *The Miami Herald*, June 10, 1984.
- Stephan, C. D. and D.G. Lindquist. 1989. A comparative analysis of the fish assemblages associated with old and new shipwrecks and fish aggregating devices in Onslow Bay, North Carolina. *Bulletin of Marine Science* 44(2): 698-717.
- Stephan, C. D. and T.E. Bigford. 1997. Atlantic coastal submerged aquatic vegetation: a review of its ecological role, anthropogenic impacts, state regulations, and value to Atlantic coastal fish stocks. *Atlantic State Marine Fisheries Commission* , 77p.

- Stevenson, J. C. and N.M. Confer. 1978. Summary of available information on Chesapeake Bay submerged vegetation. US Fish and Wildlife Service, Office of Biological Services, FWS/OBS-78/66, 335p.
- Stevenson, J. C., L.W. Staver, and K.W. Staver. 1993. Water quality associated with survival of submerged aquatic vegetation along an estuarine gradient. *Estuaries* 16(3):346-361).
- Stirewalt, G. L. and R.L. Ingram . 1974. Aerial photographic study of shoreline erosion and deposition, Pamlico Sound, North Carolina. UNC Sea Grant College, Raleigh, NC, UNC-SG-74-09, 66p.
- Stone, K. C., P.G. Hunt, S.W. Coffey, and T.A. Matheny. 1995. Water quality status of a USDA water quality demonstration project in the eastern Coastal Plain. *Journal of Soil and Water Conservation* 40: 567-571.
- Strange, R. J., W.B. Kittrell, and T.D. Broadbent. 1982. Effects of seeding reservoir fluctuation zones on young-of-the-year black bass and associated species. *North American Journal of Fisheries Management* 2: 307-315.
- Stroud, L. M. 1976. Net primary production of belowground material and carbohydrate patterns in two weight forms of *Spartina alterniflora* in two North Carolina marshes. Ph.D. dissertation, North Carolina State University, Raleigh, NC
- Stunz, G. W., T.J. Minello, and P.S. Levin. 2002. A comparison of early juvenile red drum densities among various habitat types in Galveston Bay, Texas. *Estuaries* 25(1): 76-85.
- Summerson, H. C. and C. H. Peterson. 1984. Role of predation in organizing benthic communities of a temperate-zone seagrass bed . *Marine Ecology Progress Series* 15: 63-77.
- Sundback, L. V., W. Enoksson, W. Graneli, and K. Pettersson. 1991. Influence of sublittoral microphytobenthos on the oxygen and nutrient flux between sediment and water: A laboratory continuous-flow study. *Marine Ecology Progress Series* 74: 263-279.
- Sutter, L. 1999. DCM Wetland Mapping in Coastal North Carolina. Division of Coastal Management, Raleigh, NC, 33p.
- Szedlmayer, S. T. and K.W. Able. 1996. Patterns of seasonal availability and habitat use by fishes and decapod crustaceans in a southern New Jersey estuary. *Estuaries* 19(3): 697-709.
- Tagatz, M. E. and D.L. Dudley. 1961. Seasonal occurrence of marine fishes in four shore habitats near Beaufort, NC, 1957-1960. U.S. Fish and Wildlife Service, Special Scientific Report No. 390 .
- Tamburri, M. N., C.M. Finelli, D.S. Wethey, and R.K. Zimmer-Faust. 1996. Chemical induction of larval settlement behavior in flow. *Biological Bulletin* 191(3): 367-373.
- Tarplee Jr., W. H., D.E. Louder, and A.J. Weber . 1971. Evaluation of the effects of channelization on fish populations in North Carolina's coastal plain streams. North Carolina Wildlife Resources Commission, Raleigh, NC.
- Taylor, D. L. and D.B. Eggleston. 2000. Effects of hypoxia on an estuarine predator-prey interaction: foraging behavior and mutual interference in the blue crab *Callinectes sapidus* and the infaunal clam prey *Mya arenaria*. *Marine Ecology Progress Series* 196: 221-237.
- Taylor, J. C. and J.M. Miller. 2001. Physiological performance of juvenile southern flounder, *Paralichthys lethostigma* (Jordan and Gilbert 1984), in chronic and episodic hypoxia. *Journal of Experimental Marine Biology and Ecology* 258(2): 195-214.
- Taylor, J. C. and P.S. Rand. 2003. Spatial overlap and distribution of anchovies (*Anchoa* spp.) and copepods in a shallow stratified estuary. *Aquatic Living Resources* 16(3): 191-196.
- Taylor, J. E. 1999. Making Salmon: An environmental history of the Northwest fisheries crisis. University of Washington Press, Seattle, WA.

- Taylor, J. L. and C.H. Saloman. 1968. Some effects of hydraulic dredging and coastal development in Boca Ciega Bay, Florida. *Fisheries Bulletin* 67: 213-241.
- Teal, J. 1962. Energy flow in salt marsh macrophyte production: a review. *Ecology* 43: 614-624.
- Teal, J. and M. Teal. 1969. Life and death of the salt marsh. Audubon/Ballentine Books, New York, NY, 274p.
- Tenore, K. R. 1972. Macrobenthos of the Pamlico River estuary, North Carolina. *Ecological Monographs* 42: 51-69.
- Tester, P. A. and P.K. Fowler. 1990. Brevetoxin contamination of *Mercenaria mercenaria* and *Crassostrea virginica*: a management issue. p. 499-503 in E. Graneli et al. (eds). *Toxic Marine Phytoplankton*. Elsevier Science Publishing Co., Inc.
- Tester, P. A., M.E. Geesey, C. Guo, H.W. Paerl, and D.F. Millie. 1995. Evaluating phytoplankton dynamics in the Newport River estuary (North Carolina, USA) by HPLC-derived pigment profiles. *Marine Ecology Progress Series* 124: 237-245.
- Thayer, G. W. 1971. Phytoplankton production and distribution of nutrients in a shallow unstratified estuarine system near Beaufort, NC. *Chesapeake Science* 12: 240-253.
- Thayer, G. W., S.M. Adams, and M.W. La Croix. 1975. Structural and functional aspects of a recently established *Zostera marina* community. p. 518-540 in L.E. Cronin (ed.). *Estuarine Research*. Academic Press, New York, NY.
- Thayer, G. W., M.S. Fonseca, and W.J. Kenworthy. 1985. Wetland mitigation and restoration in the southeast United States and two lessons from seagrass mitigation. p. 95-117 in: *The Estuarine Management Practice Symposium*, November 12-13, 1985. Baton Rouge, LA.
- Thayer, G. W., W.J. Kenworthy, and M.S. Fonseca. 1984. The ecology of eelgrass meadows of the Atlantic coast: a community profile. U.S. Fish and Wildlife Service, FWS/OBS-84/02 , 147p.
- Thieler, E. R., A.L. Brill, W.J. Cleary, C.H. Hobbs III, and R.A. Gammisch. 1995. Geology of the Wrightsville Beach, North Carolina shoreface: implications for the concept of shoreface profile of equilibrium. *Marine Geology* 126: 271-287.
- Thieler, E. R., W.C. Schwab, M.A. Allison, J.F. Denny, and W.W. Danforth. 1998. Sidescan-sonar imagery of the shoreface and inner continental shelf, Wrightsville Beach, North Carolina . USGS Open-file Report 98-596 , 16p.
- Thomas, C. J. and L.B. Cahoon. 1993. Stable isotope analyses differentiate between different trophic pathways supporting rocky reef fishes. *Marine Ecology Progress Series* 95: 19-24.
- Thompson, S. P., H.W. Paerl, and M.C. Go. 2003. Denitrification dynamics of an estuarine headwater creek receiving agricultural runoff. <http://www2.ncsu.edu/ncsu/CIL/WRRI/reports/report317.html>, September 29, 2003.
- Thompson, T. 2000. Intake modifications to reduce entrainment and impingement at Carolina Power and Light Company's Brunswick Steam Electric Plant, Southport, North Carolina. *Environmental Science and Policy* 3(1): 417-424.
- Thorpe, T., C.F. Jensen, and M.L. Moser. 2003. Relative abundance and reproductive characteristics of sharks in southeastern North Carolina coastal waters. *Bulletin of Marine Science* (in press).
- Tilmant, J. T. 1979. Observations on the impacts of shrimp roller frame trawls operated over hard bottom communities, Biscayne Bay, Florida. National Park Service, Miami, FL, Report Series No. P-553, 23p.
- Titus, J. G. 1998. Rising seas, coastal erosion, and the takings clause: How to save wetlands and beaches without hurting property owners. *Maryland Law Review* 57: 1279-1399.

- Townsend, E. and M. S. Fonseca. 1998. Bioturbation as a potential mechanism influencing spatial heterogeneity of North Carolina seagrass beds. *Marine Ecology Progressive Series* 169: 123-132.
- Turner, R. E. 1977. Intertidal vegetation and commercial yields of Penaeid shrimp. *Transactions of the American Fisheries Society* 106(5): 411-416.
- Turner, S. J., J.E. Hewitt, M.R. Wilkinson, D.J. Morrissey, S.F. Thrush, V.J. Cummings, and G. Funnell. 1999. Seagrass patches and landscapes: the influence of wind-wave dynamics and hierarchical arrangements of spatial structure on macrofaunal seagrass communities. *Estuaries*. 22(4): 1016-1032.
- Twilley, R. R., W.M. Kemp, K.W. Staver, J.C. Stevenson, and W.R. Boynton. 1985. Nutrient enrichment of estuarine submersed vascular plant communities. 1. Algal growth and effects on production of plants and associated communities. *Marine Ecology Progress Series* 23: 179-191.
- Tye, R. 1983. Impact of Hurricane David and mechanical dune restoration on Folly Beach, SC. *Shore and Beach* 51: 3-9.
- Tyler, M. 1989. Potential for long-term persistence of the red tide dinoflagellate *Ptychodiscus brevis* in North Carolina coastal waters. Final Report prepared to N.C. Department of Natural Resources and Community Development, Albemarle-Pamlico Estuarine Study 88-09: 14.
- Ulanowicz, R. E. and J.J. Tuttle. 1992. The trophic consequences of oyster stock rehabilitation in the Chesapeake Bay. *Estuaries* 15(3): 298-306.
- Uncles, R. J., J.A. Stephens, and T.Y. Woodrow. 1988. Seasonal cycling of estuarine sediment and contaminant transport. *Estuaries* 11: 108-116.
- Underwood, G. J. C. and D. Paterson. 1993. Seasonal changes in diatom biomass, sediment stability and biogenic stabilization in the Severn Estuary. *Journal of the Marine Biological Association of the United Kingdom*. Plymouth 73: 881-887.
- UNESCO. 1994. Marine debris: solid waste management action plan for the wider Caribbean. Paris, IOC Technical Series 41.
- USDA (US Department of Agriculture Natural Resources Conservation Service) . 1997. Water quality and agriculture - status, conditions, and trends. Washington, DC, Working paper #16 , 125p.
- USDA (US Department of Agriculture Natural Resources Conservation Service). 2002. USDA releases \$323 million for conservation programs. <http://www.nrcs.usda.gov/programs/farmlandbill>, 9/30/2002.
- USDA (US Department of Agriculture Soil Conservation Service). 1975. Shoreline erosion inventory, North Carolina. US Department of Agriculture, Raleigh, NC, 29p.
- USFWS (U.S. Fish and Wildlife Service). 1992. Albemarle Sound and Roanoke River Basin. US Dept Interior, Washington, DC,
- USGS (US Geological Survey). 2001. Federal standards for delineation of hydrologic boundaries. 49p.
- USGS (US Geological Survey). 2003. National Water Quality Assessment - Nutrients in surface waters. <http://nc.water.usgs.gov/albe/findings.html>, 2/14/2003.
- Valiela, I., J. Costa, K. Foreman, J.M. Teal, B.L. Howes, and D. Aubrey. 1990. Transport of ground-borne nutrients from watersheds and their effects on coastal waters. *Biogeochemistry* 10: 177-197.
- Van Dolah, R. F., B.J. Digre, P.T. Gayes, P. Donovan-Ealy, and M.W. Dowd. 1998. An evaluation of physical recovery rates in sand borrow sites used for beach nourishment projects in South Carolina. Final Report prepared for the South Carolina Task Force on Offshore Resources and Minerals Management Service. SC Department of Natural Resources, Charleston, SC, 77 p.
- Van Dolah, R. F., R.M. Martore, A.E. Lynch, M.V. Levison, P.H. Wendt, D.J. Whitaker, and W.D. Anderson. 1994. Environmental evaluation of the Folly Beach nourishment project. SC Department

- of Natural Resources, Charleston, SC, Final Report prepared by US Army Corps of Engineers and Marine Resources Division of the South Carolina Dept of Natural Resources. 100p.
- Van Dolah, R. F., P. H. Wendt, and M. V. Levisen. 1991. A study of the effects of shrimp trawling on benthic communities in two South Carolina sounds. *Fisheries Research* 12: 139-156.
- Van Dolah, R. F., P.H. Wendt, R.M. Martore, M.V. Levison, and W.A. Roumillat. 1992. A physical and biological monitoring study of the Hilton Head beach nourishment project. Final Report prepared for the Town of Hilton Head Island and South Carolina Coastal Council. SC DNR, Charleston, SC, 159p.
- Van Dolah, R. F., P.H. Wendt, and N. Nicholson . 1987. Effects of a research trawl on a hard bottom assemblage of sponges and corals. *Fisheries Research* 5: 39-54.
- Vandermeulen, J. H. and D. Mossman. 1996. Sources of variability in seasonal hepatic microsomal oxygenase activity in winter flounder (*Pleuronectes americanus*) from a coal tar contaminated estuary. *Canadian Journal of Fisheries and Aquatic Sciences* 53: 1741-1753.
- Vannote, R. L., G.W. Minshall, K.W. Cummins, J.R. Sedell, and C.E. Cushing. 1980. The river continuum concept. *Canadian Journal of Fisheries and Aquatic Sciences* 37: 130-137.
- Vetter, R. D. 1977. Respiratory metabolism of and niche separation between, two co-occurring congeneric species, *Cynoscion nebulosus* and *Cynoscion arenarius*, in a south Texas estuary. M.S. Thesis, University of Texas, Austin, TX, 114 p.
- Vigil, D. 1998. North Carolina / Minerals Management Service technical workshop on Manteo unit exploration: February 4-5, 1998. U.S. Department of Interior, Minerals Management Service, New Orleans, 168p.
- Vingard, G. L. and W.J. O'Brien. 1976. Effects of light and turbidity on the reactive distance of bluegill (*Lepomis macrochirus*). *Journal of the Fisheries Research Board of Canada* 33(2845-2849).
- Virnstein, R.W., P.S. Mikkelsen, K.D. Cairns, and M.A. Capone. 1983. Seagrass beds versus sand bottoms: the trophic importance of their associated benthic invertebrates. *Florida Scientist* 46: 363-381.
- Virnstein, R.W. and L.J. Morris. 1996. Seagrass preservation and restoration: a diagnostic plan for the Indian River Lagoon . St. Johns River Water Management District, Palatka, FL, Tech. Mem. #14 , 43p.
- Vogelbein, W. K., V.J. Lovko, J.D. Shields, K.S. Reece, P.L.Mason, L.W. Haas, and C.C. Walker. 2002. *Pfiesteria shumwayae* kills fish by micropredation not exotoxin secretion. *Nature* 418(6901): 967-970.
- Voudrias, E. A. and C.L. Smith. 1986. Hydrocarbon pollution from marinas in estuarine sediments. *Estuarine Coastal Shelf Sciences* 22: 271-284.
- Wainright, S., M.P.Weinstein, K.W. Able, and C.A. Currin. 2000. Relative importance of benthic microalgae, phytoplankton and the detritus of smooth cordgrass *Spartina alterniflora* and the common reed *Phragmites australis* to brackish-marsh food webs. *Marine Ecology Progress Series* 200: 77-91.
- Waite, R., J. Giordano, M. Scully, K. Rowles, J. Steel, M. Rumley, T. Stroud, G. Stefanski, A. Coburn, L. Everett, L. Webb-Margeson , J. Chazal, L. Peck, and N. Petrovich. 1994. Comprehensive Conservation and Management Plan (Technical Document), Albemarle-Pamlico Estuarine Study. U.S. Environmental Protection Agency, Washington, DC.
- Walker, M. D. 1984. Fish utilization of an inundated swamp-stream floodplain. M.S. Thesis , East Carolina University, Greenville, NC, 72 p.
- Walker, W. W. 1977. Pesticides and their residues in the Mississippi coastal zone. *Journal of the Mississippi Academy of Science* 21: 148-154.

- Walsh, H. J., D.S. Peters, and D.P. Cyrus. 1999. Habitat utilization by small flatfishes in a North Carolina estuary. *Estuaries* 22(3B): 803-813.
- Walton, T. L. and W.M. Sensabaugh. 1979. Seawall design on the open coast. Florida Sea Grant Report 29: 24 p.
- Wang, J. C. S. and R.J. Kernehan. 1979. Fishes of the Delaware estuaries. Ecological Analysts, Inc., Towson, Md, 410p.
- Wannamaker, C. M. and J.A. Rice . 2000. Effects of hypoxia on movements and behavior of selected estuarine organisms from the southeastern United States. *Journal of Experimental Marine Biology and Ecology* 249: 145-163.
- Warinner, J. E., J.P. Miller, and J. Davis. 1969. Distribution of juvenile river herring in the Potomac River. Proceedings of the Annual Conference of the Southeast Association of Game and Fish Commissions 23: 384-388.
- Warwick, R. 1993. Environmental impact studies in marine communities: pragmatical considerations. *Australian Journal of Ecology* 18: 63-80.
- Waters, C. T. and C.D. Thomas. 2001. Shoreline hardening effects on associated fish assemblages in five North Carolina coastal rivers. North Carolina Wildlife Resources Commission, Raleigh, NC, 20p.
- Watling, L. and E. Norse. 1998. Disturbance of the seabed by mobile fishing gear: a comparison to forest clearcutting. *Conservation Biology* 12(6): 1180-1197.
- Watts, J. G. 1987. Physical and biological impacts of bulkheads on North Carolina's estuarine shoreline. Duke University, Durham, NC, Report to North Carolina Division of Coastal Management , 39 p.
- Webb, E. 1997. Causes of vegetation dieback and subsequent wetland loss in two Louisiana coastal marshes. Dissertation Abstract International Part B: Science and Engineering 58(6): 2828.
- Webster, I. T., P.W. Ford, and B. Hodgson. 2002. Microphytobenthos contribution to nutrient-phytoplankton dynamics in a shallow coastal lagoon. *Estuaries* 25(4A): 540-551.
- Weinstein, M. P. 1979. Shallow marsh habitats as primary nurseries for fishes and shellfish, Cape Fear River, NC. *Fisheries Bulletin* 2: 339-357 .
- Weinstein, M. P. and J.H. Balletto. 1999. Does the common reed, *Phragmites australis*, affect Essential Fish Habitat? *Estuaries Annual Marine and Estuarine Shallow Water Science and Management Conference: The Interrelationship among habitats and their management*(No. 3B): 793-802.
- Weis, J. S. and P. Weis. 1989. Effects of environmental pollutants on early fish development. *Aquatic Sciences* 1(1): 45-55.
- Weis, J. S. and P. Weis. 1994. Effects of contaminants from chromated copper arsenate-treated lumber on benthos. *Archives of Environmental Contamination and Toxicology* 26: 103-109.
- Weis, J. S. and P. Weis. 1995. Effects of bulkheads made of pressure-treated wood and other materials on shallow water benthos in estuaries. Second Annual Marine and Estuarine Shallow Water Science and Management Conference: p. 14.
- Weis, J. S., P. Weis, J. Couch, C. Daniels, and T. Chen. 1995. Pathological and genotoxicological observations in oysters (*Crassostrea virginica*) living on chromated copper arsenate (CCA) - treated wood. *Marine Environmental Research* 39: 275-278.
- Weis, J. S., P. Weis, and T. Proctor . 1998. The extent of benthic impacts of CCA-treated wood structures in Atlantic coast estuaries. *Archives of Environmental Contamination and Toxicology* 34(4): 313-322.
- Weis, P. and J.S. Weis. 1999. Accumulation of metals in consumers associated with chromated copper arsenate-treated wood panels. *Marine Environmental Research* 48: 73-81.

- Wells, H. W. 1957. Abundance of the hard clam *Mercenaria mercenaria* in relation to environmental factors. *Ecology* 38: 123-128.
- Wells, H. W. 1961. The fauna of oyster beds, with special reference to the salinity factor. *Ecological Monographs* 31: 239-266.
- Wells, J. T. 1989. A scoping study of the distribution, composition, and dynamics of water-column and bottom sediments: Albemarle-Pamlico estuarine system. Institute of Marine Sciences, UNC-Chapel Hill, Morehead City, NC, 89-05 , 39p.
- Wells, J. T. and C.H. Peterson. 1986. Restless ribbons of sand: Atlantic and Gulf coastal barriers . USFWS, National Wetlands Research Center. 24 p.
- Wendt, P. H., R.F. Van Dolah, M.Y. Bobo, and J.J. Manzi. 1990. Effects of marina proximity on certain aspects of the biology of oysters and other benthic macrofauna in a South Carolina estuary. South Carolina Wildlife and Marine Resources Department, Charleston, SC, South Carolina Marine Resources Center Tech. Rep. No. 74 , 49p.
- Wenner, E. H., R. Beatty, and L. Coen. 1996. A method of quantitatively sampling nekton on intertidal oyster reefs. *Journal of Shellfish Research* 15(3): 769-775.
- Wenner, E. L., P.Hinde, D.M. Knott, and R.F. Van Dolah. 1984. A temporal and spatial study of invertebrate communities associated with hard-bottom habitats in the South Atlantic Bight. NOAA, Technical Report NMFS 18. 104 p.
- West, T. L., Jr. W.G. Ambrose, and G.A. Skilleter. 1994. A review of the effects of fish harvesting practices on the benthos and bycatch: implication and recommendations for North Carolina. Albemarle-Pamlico Estuarine Study. US Environmental Protection Agency and NC DEHNR, Raleigh, NC, 94-06, 93p.
- Wetzel, R. G. 1983. *Limnology*. Saunders College Publishing, USA, 2nd edition , 767p.
- Wetzel, R. G. 2001. *Limnology: Lake and River Ecosystems*. Academic Press, San Diego, CA, 3rd Edition.
- Wharton, C. H., W.M. Kitchens, and T. W. S. E.C. Pendleton. 1982. The ecology of bottomland hardwood swamps of the southeast: a community profile. U.S. Fish and Wildlife Service, Biological Services Program, Washington, D.C.
- White, J. C. and T. Triplett. 2002. Polycyclic Aromatic Hydrocarbons (PAHs) in the sediments and fish of the Mill River, New Haven, Connecticut. *Bulletin of Environmental Contamination and Toxicology* 68(1): 104-110.
- White, K. 1996. Restoration of channelized streams to enhance fish habitat. <http://www.ies.wisc.edu/research/ies900/kimchannelization.htm>, Dec. 2003.
- White, N. M., D.E. Line, J.D. Potts, W. Kirby-Smith, B. Doll, and W.F. Hunt. 2000. Jumping Run Creek shellfish restoration project. *Journal of Shellfish Research* 19(1): 473-476.
- Whitehead, P. J. P. 1985. FAO Species catalogue. Clupeoid fishes of the world. An annotated and illustrated catalogue of the herrings, sardines, pilchards, sprats, shads, anchovies and wolf-herrings. Part 1 Chirocentridae, Clupeidae and Pristigasteridae. 7 , 303p.
- Wiebe, K. and R. Heimlich. 1995. Evolution of federal wetland policy. *Choices* 10(1): 8-14.
- Wiegert, R. G. and B. J. Freeman. 1990. Tidal salt marshes of the southeast Atlantic coast: a community profile. U.S. Fish and Wildlife Service Biological Reports 85(7.29): 71.
- Wilbur, A. R. and M.W. Pentony. 1999. Human-induced nonfishing threats to essential fish habitat in the New England region. p. 299-321 in L.R. Benaka (ed.). *Fish Habitat: Essential Fish Habitat and Rehabilitation*. American Fishery Society , Silver Springs, MD, Symposium 22, 459 p.

- Williams, A. H., L.D. Coen, and M.S. Stoelting. 1990. Seasonal abundance, distribution, and habitat selection of juvenile *Callinectes sapidus* (Rathbun) in the northern Gulf of Mexico. *Journal of Experimental Marine Biology and Ecology* 137: 165-183.
- Williams, R. B. and M.B. Murdoch. 1966. Phytoplankton production and chlorophyll concentration in the Beaufort channel, North Carolina. *Limnology and Oceanography* 11: 73-82.
- Williams, R. D. and A.D. Nicks. 1988. Using CREAMS to simulate filter strip effectiveness in erosion control. *Journal of Soil and Water Conservation* 43: 108-112.
- Williamson, R. B. and D.J. Morrissey. 2000. Stormwater contamination of urban estuaries. 1. Predicting the build-up of heavy metals in sediments. *Estuaries* 23(1): 56-66.
- Wilson, D. P. 1968. The settlement behavior of the larvae of *Sabellaria alveolata*. *Journal of Marine Biological Association, United Kingdom* 48: 387-435.
- Wilson, K. A. 1962. North Carolina wetlands--Their distribution and management. North Carolina Wildlife Resources Commission, Raleigh, NC, Project W-6-R, 169p.
- Wilson, K. A., K.W. Able, and K.L. Heck Jr. 1990. Habitat use by juvenile blue crabs: a comparison among habitats in southern New Jersey. *Bulletin of Marine Science* 46: 105-114.
- Windom, H. L. 1976. Environmental aspects of dredging in the coastal zone. *CRC Critical Review Environmental Control* 7: 91-109.
- Winner, M. D. and C.E. Simmons. 1977. Hydrology of the Creeping Swamp watershed, North Carolina with reference to potential effects of stream channelization. U.S. Geological Survey, Water Resources Investigation 77-26, 54p.
- Winslow, F. 1889. Sounds and estuaries of North Carolina with reference to oyster culture, US Coast and Geodetic Survey. Bull. No. 10, 137p.
- Winslow, S. E. 1990. Status of the American shad, *Alosa sapidissima* (Wilson), in North Carolina. NC Division of Marine Fisheries, Morehead City, NC, Special Scientific Report No. 52, 77 p.
- Winslow, S. E., N.S. Sanderlin, G.W. Judy, J.H. Hawkins, B.F. Holland Jr., C.A. Fischer, and R.A. Rulifson. 1983. North Carolina anadromous fisheries management program. North Carolina Department of Natural Resources and Community Development, Division of Marine Fisheries, Completion report for project AFCS-16, 402p.
- Wisby, J. P. and M.J. Lopazanski. 1995. 1994 North Carolina marine sewage pumpout and dump station survey. NC Div. of Coastal Management, DENR, Unpub. rep.
- Wolfe, D. A. and T.R. Rice. 1972. Cycling of elements in estuaries. *Fisheries Bulletin* 70: 959-972.
- Woodside, M. D. and K.E. Ruhl. 2001. Pesticides in Streams in the Tar-Pamlico Drainage Basin, North Carolina, 1992-94. US Geological Survey.
- Woodwell, G. M., C.A.S. Hall, D.E. Whitney, and R.A. Houghton. 1979. The Flax Pond ecosystem study: exchanges of inorganic nitrogen between an estuarine marsh and Long Island Sound. *Ecology* 60: 695-702.
- WRP (Wetland Restoration Program). 2000. NC Wetlands Restoration Program, 2000 Annual Report. N.C. Department of Environment and Natural Resources, Wetlands Restoration Program, Raleigh, NC.
- WRP (Wetland Restoration Program). 2001. NC Wetlands Restoration Program, 2001 Annual Report. N.C. Department of Environment and Natural Resources, Wetlands Restoration Program, Raleigh, NC.
- WRP (Wetland Restoration Program). 2002. NC Wetlands Restoration Program, 2002 Annual Report. N.C. Department of Environment and Natural Resources, Wetlands Restoration Program, Raleigh,

NC.

- Wyda, J. C., L.A. Deegan, J.E. Hughes, and M.J. Weaver. 2002. The response of fishes to submerged aquatic vegetation complexity in two ecoregions of the Mid-Atlantic Bight: Buzzards Bay and Chesapeake Bay. *Estuaries* 25(1): 86-100.
- Xie, L. and D.B. Eggleston. 1999. Computer simulations of wind-induced estuarine circulation patterns and estuary-shelf exchange processes: the potential role of wind forcing on larval transport. *Estuarine, Coastal, and Shelf Science* 49(2): 221-234.
- Xie, L. and L.J. Pietrafesa. 1999. Systemwide modeling of wind and density driven circulation in Croatan-Albemarle-Pamlico estuary system part I: model configuration and testing. *Journal of Coastal Research* 15(4): 1163-1177.
- Yallop, M. L., B. de Winder, D.M. Paterson, and L.J. Stal. 1994. Comparative structure, primary production and biogenic stabilization of cohesive and non-cohesive marine sediments inhabited by microphytobenthos. *Estuarine Coastal Shelf Science* 39: 565-582.
- Yozzo, D. J. and D.E. Smith. 1997. Composition and abundance of resident marsh-surface nekton: comparison between tidal freshwater and salt marshes in Virginia, USA. *Hydrobiologia* 362(1-3): 9-19.
- Zieman, J. C. 1976. The ecological effects of physical damage from motor boats on turtle grass beds in southern Florida. *Aquatic Botany* 2: 127-139.
- Zieman, J. C. 1982. The ecology of seagrasses of south Florida: a community profile. US Fish and Wildlife Service, Washington, DC, FWS/OBS-82/25, 123p.
- Zimmerman, R. T., T. Minello, and M. Gastiglione. 1989. Oyster reef as habitat for estuarine macrofauna. National Oceanic and Atmospheric Administration, Springfield, VA, NOAA Technical Memorandum NMFS-SEFC-249.
- Zirschky, J. D., D. Crawford, L. Norton, and D. Deemer. 1989. Metals removal in overland flow. *Journal of the Water Pollution Control Federation* 16: 470-475.